



D-Link DGS-1510-52X switch di rete Gestito L3 Gigabit Ethernet (10/100/1000) 1U Nero

Marchio : D-Link

Codice prodotto: DGS-1510-52X

Nome del prodotto : DGS-1510-52X



D-Link DGS-1510-52X. Tipo interruttore: Gestito, Livello del commutatore: L3. Tipo di porte RJ-45: Gigabit Ethernet (10/100/1000), Quantità di porte RJ-45: 48. Full duplex. Dimensioni tavola MAC: 16000 voci, Capacità di commutazione: 176 Gbit/s. Standard di rete: IEEE 802.3, IEEE 802.3ab, IEEE 802.3ae, IEEE 802.3u, IEEE 802.3x. Connettore di alimentazione: Jack DC-ingresso. Montaggio rack, Fattore di forma: 1U

Management features		Power	
Switch type *	Managed	AC input voltage	100 - 240 V
Switch layer	L3	AC input frequency	50 - 60 Hz
Quality of Service (QoS) support	✓	Power consumption (max)	44.2 W
Web-based management	✓	Power over Ethernet (PoE)	
Ports & interfaces		Power over Ethernet (PoE) *	✗
Basic switching RJ-45 Ethernet ports quantity *	48	Operational conditions	
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Operating temperature (T-T)	-5 - 50 °C
SFP+ module slots quantity	4	Storage temperature (T-T)	-20 - 70 °C
Power connector	DC-in jack	Operating relative humidity (H-H)	0 - 95%
Network		Storage relative humidity (H-H)	0 - 95%
Networking standards *	IEEE 802.3, IEEE 802.3ab, IEEE 802.3ae, IEEE 802.3u, IEEE 802.3x	Heat dissipation	138.8 BTU/h
10G support *	✓	Weight & dimensions	
Port mirroring	✓	Width	440 mm
Full duplex	✓	Depth	250 mm
Flow control support	✓	Height	44 mm
Link aggregation	✓	Weight	5.3 kg
Broadcast storm control	✓	Packaging data	
Auto MDI/MDI-X	✓	Package width	365 mm
Head-of-line (HOL) blocking	✓	Package depth	555 mm
VLAN support	✓	Package height	101 mm
Data transmission		Package weight	4.62 kg
Switching capacity *	176 Gbit/s	Technical details	
Throughput	130.95 Mpps	Shipping (inner) case height	39.8 cm
MAC address table *	16000 entries	Shipping (inner) case width	32.4 cm
Store-and-forward	✓	Shipping (inner) case length	57.3 cm
Packet buffer memory	3 MB	Shipping (inner) case net weight	11.4 kg
Security		Products per shipping (inner) case	3 pc(s)
DHCP features	DHCP server, DHCP client	Pallet gross weight (air)	375.1 kg
Access Control List (ACL)	✓	Master (outer) cases per pallet (air)	24 pc(s)
IGMP snooping	✓	Products per pallet (air)	72 pc(s)
MAC address filtering	✓	Pallet gross length	110 cm
		Pallet gross width	120 cm
		Pallet height (air)	173 cm
		Pallet gross weight (sea)	375.1 kg
		Master (outer) cases per pallet (sea)	24 pc(s)

Security		Technical details	
SSH/SSL support	✓	Products per pallet (sea)	72 pc(s)
Multicast features		Pallet height (sea)	173 cm
Multicast support	✓	Shipping (inner) case gross weight	14.9 kg
Design		Certificates	
Rack mounting *	✓	Certification	CE, FCC, C-Tick, VCCI, BSMI, CCC
Stackable *	✓	Logistics data	
Form factor	1U	Harmonized System (HS) code	85176990
Product colour	Black		
LED indicators	Activity, Link, Power		
Number of fans	2 fan(s)		
Safety	cUL, CB		
Performance			
Noise level	45.8 dB		



0790069406065



790069406065



0790069467950



790069467950

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.