

Hikvision DS-3E0528HP-E switch di rete Non gestito Gigabit Ethernet (10/100/1000) Supporto Power over Ethernet (PoE) Blu



Marchio : Hikvision

Codice prodotto: DS-3E0528HP-E

Nome del prodotto : DS-3E0528HP-E

Hikvision DS-3E0528HP-E. Tipo interruttore: Non gestito. Tipo di porte RJ-45: Gigabit Ethernet (10/100/1000), Quantità di porte RJ-45: 26. Full duplex. Dimensioni tavola MAC: 8000 voci, Capacità di commutazione: 56 Gbit/s. Standard di rete: IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3bt, IEEE 802.3u, IEEE 802.3x, IEEE.... Supporto Power over Ethernet (PoE)

Caratteristiche di gestione		Gestione energetica	
Tipo interruttore *	Non gestito	Tensione di ingresso AC	100 - 240 V
Connettività		Frequenza di ingresso AC	50 - 60 Hz
Quantità di porte RJ-45 *	26	Corrente d'ingresso	6.5 A
Tipo di porte RJ-45 *	Gigabit Ethernet (10/100/1000)	Consumo energetico (max)	400 W
Porte Fibre Channel	2	Power over Ethernet (PoE)	
Collegamento in rete		Supporto Power over Ethernet (PoE) *	✓
Standard di rete *	IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3bt, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	Quantità porte Power over Ethernet (PoE)	20
Supporto 10G *	✗	Bilancio energetico totale del PoE	370 W
Full duplex	✓	Condizioni ambientali	
Auto MDI/MDI-X	✓	Intervallo temperatura di funzionamento	-10 - 55 °C
Trasmissione dati		Intervallo di temperatura	-40 - 85 °C
Capacità di commutazione *	56 Gbit/s	Range di umidità di funzionamento	5 - 95%
tasso di inoltrò	41,664 Mpps	Umidità	5 - 95%
Dimensioni tavola MAC *	8000 voci	Dimensioni e peso	
Store-and-forward	✓	Larghezza	440 mm
Design		Profondità	220,8 mm
Montaggio rack *	✗	Altezza	44 mm
Colore del prodotto	Blu	Peso	2,98 kg
Materiale della scocca	Metallo	Dati logistici	
Certificazione	FCC (47 CFR 15, B); CE-EMC (EN 55032: 2015, EN 61000-3-2: 2014, EN 61000-3-3: 2013, EN 55024: 2010 +A1: 2015); RCM (AS/NZS CISPR 32: 2015); IC (ICES-003: 6, 2016) UL (UL 60950-1); CB (IEC 60950-1:2005 + Am 1:2009 + Am 2:2013); CELVD (EN 60950-1:2005 + Am 1:2009 + Am 2:2013) CE-RoHS (2011/65/EU); WEEE (2012/19/EU); Reach ((EC) 1907/2006)	Codice del Sistema Armonizzato (SA)	85176990



6941264031635



0842571148282



842571148282

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.