



D-Link DUB-E250 scheda di rete e adattatore Ethernet 2500 Mbit/s

Marchio : D-Link

Codice prodotto: DUB-E250


Nome del prodotto : DUB-E250

D-Link DUB-E250. Tecnologia di connessione: Cablato, Interfaccia host: USB tipo-C, Interfaccia: Ethernet. Velocità massima di trasferimento dati: 2500 Mbit/s. Alimentazione USB. Colore del prodotto: Bianco



Ports & interfaces		Power			
Connectivity technology *	Wired	USB powered	✓		
Host interface *	USB Type-C	<b>System requirements</b>			
Interface *	Ethernet				
Ethernet LAN (RJ-45) ports	1				
USB version	2.0/3.2 Gen 1 (3.1 Gen 1)				
<b>Network</b>					
Maximum data transfer rate *	2500 Mbit/s	Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IoT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64		
Networking standards *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3bz, IEEE 802.3u, IEEE 802.3x				
Ethernet LAN	✓				
Ethernet interface type	2.5 Gigabit Ethernet				
Ethernet LAN data rates	10,100,1000,2500 Mbit/s				
Auto MDIX IEEE	✓				
Full duplex	✓				
VLAN tagging	✓				
<b>Design</b>				Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Product colour	White				
Internal *	✗				
Hot-Plug support	✓				
Plug and Play	✓				
LED indicators	✓				
Certification	CE, FCC, IC				
<b>Power</b>		<b>Operational conditions</b>			
Power consumption	250 mA	Operating temperature (T-T)	10 - 45 °C		
		Storage temperature (T-T)	10 - 70 °C		
		Operating relative humidity (H-H)	10 - 85%		
		Storage relative humidity (H-H)	5 - 90%		
		<b>Weight &amp; dimensions</b>			
		Width	21.5 mm		
		Depth	53 mm		
		Height	15 mm		
		Weight	28.5 g		

Logistics data	
Harmonized System (HS) code	85176990
Other features	
Flow control support	✓
Cable length	0.16 m



0790069457494



790069457494



0790069457661



790069457661

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.