

## DELL Inspiron 3030 Intel® Core™ i5 i5-12400 16 GB DDR5-SDRAM 512 GB SSD Windows 11 Pro Desktop PC Nero, Blu

Marchio : DELL

Famiglia del prodotto:

Codice prodotto: DVDXH

Inspiron

Nome del prodotto : 3030

- Windows 11 Pro 64-bit

- Intel Core i5-12400 (18MB Cache)

- 16GB DDR5-SDRAM (1 x 16) & 512GB SSD

Intel Core i5-12400 (18MB Cache), 16GB DDR5-SDRAM, 512GB SSD, Intel UHD Graphics 730, LAN, WLAN, Bluetooth, Windows 11 Pro 64-bit

DELL Inspiron 3030 Intel® Core™ i5 i5-12400 16 GB DDR5-SDRAM 512 GB SSD Windows 11 Pro Desktop PC Nero, Blu:

Desktop compatti per creare, lavorare e connettersi con stile.

DELL Inspiron 3030. Famiglia processore: Intel® Core™ i5, Modello del processore: i5-12400. RAM installata: 16 GB, Tipo di RAM: DDR5-SDRAM. Capacità totale di archiviazione: 512 GB, Supporto di memoria: SSD. Modello scheda grafica integrata: Intel UHD Graphics 730. Wi-Fi. Sistema operativo incluso: Windows 11 Pro, Architettura sistema operativo: 64-bit. Alimentazione: 300 W. Tipo di case: Desktop. Tipo di prodotto: PC. Peso: 7,05 kg. Colore del prodotto: Nero, Blu





Processor		Ports & interfaces	
Processor manufacturer *IntelProcessor family *Intel® Core™ i5Processor generation12th gen Intel® Core™ i5Processor model *i5-12400Processor cores6Processor threads12Processor boost frequency4.4 GHz	Intel® Core <sup>™</sup> i5 12th gen Intel® Core <sup>™</sup> i5 i5-12400 6 12 4.4 GHz	Combo headphone/mic port Number of rear USB ports Number of front USB ports Number of front audio ports Number of rear audio ports Total number of SATA connectors Number of SATA III connectors	<ul> <li>✓</li> <li>4</li> <li>4</li> <li>1</li> <li>1</li> <li>3</li> <li>2</li> </ul>
Performance cores Performance-core Max Turbo Frequency	6 4.4 GHz	Design Chassis type * Placement supported	Desktop Vertical
Performance-core base frequency Processor cache Processor cache type Number of processors installed Processor base power	2.5 GHz 18 MB Smart Cache 1 65 W	Water cooling system Cable lock slot Cable lock slot type Product colour *	✓ ✓ Wedge Black, Blue
Maximum turbo power	117 W	Performance	
Memory Internal memory * Maximum internal memory * Internal memory type Memory layout (slots x size) Memory slots Memory channels Memory data transfer rate	16 GB 64 GB DDR5-SDRAM 1 x 16 GB 2x DIMM Single-channel 4800 MT/s	Market positioning Motherboard chipset Audio system Audio output channels Built-in speaker(s) Trusted Platform Module (TPM) Trusted Platform Module (TPM) version	Business Intel B660 High Definition Audio 5.1 channels × 2.0
Storage		Product type *	PC
Total storage capacity * Storage media * Optical drive type *	512 GB SSD ×	Software Operating system installed * Operating system architecture	Windows 11 Pro 64-bit

Storage		Software	
Number of storage drives installed Total SSDs capacity Number of SSDs installed	1 512 GB 1	Operating system language	English, Spanish, French, Italian, Portuguese McAfee Business Protection 1-
SSD capacity	512 GB	Trial software	year,No Microsoft Office License Included - 30 day Trial Offer Only
SSD interface	PCI Express	Bundled software	Windows System Driver
NVMe SSD form factor	✓ M.2	Power	
Compatible memory cards	Not supported	Power supply *	300 W
RAID support	×	Power supply input voltage	90 - 264 V
Graphics		Power supply input frequency	47/63 Hz
Discrete graphics card *	×	Operational conditions	
On-board graphics card *	~	Operating temperature (T-T)	0 - 35 °C
Discrete graphics card model *	Not available	Storage temperature (T-T)	-40 - 65 °C
On-board GPU manufacturer	Intel	Operating relative humidity (H-H) Storage relative humidity (H-H)	10 - 90% 0 - 95%
On-board graphics card family	Intel® UHD Graphics	Operating altitude	-15.2 - 3048 m
On-board graphics card model *	Intel UHD Graphics 730	Non-operating altitude	-15.2 - 10668 m
Maximum on-board graphics card	7680 x 4320 pixels	Operating vibration	0.66 G
resolution	7000 x 4520 pixels	Non-operating vibration	1.3 G
Network		Operating shock	110 G
Ethernet LAN *	1	Non-operating shock	160 G
Ethermet I AN slate water	10 100 1000 Mbib/s		
Ethernet LAN data rates	10,100,1000 Mbit/s	Sustainability	
Cabling technology	10,100,1000 Mblt/s 10/100/1000Base-T(X)	Sustainability Sustainability certificates	ENERGY STAR, TCO
Cabling technology Wi-Fi *	10/100/1000Base-T(X)	-	ENERGY STAR, TCO
Cabling technology	10/100/1000Base-T(X) ✓ Wi-Fi 6 (802.11ax)	Sustainability certificates	ENERGY STAR, TCO
Cabling technology Wi-Fi *	10/100/1000Base-T(X)	Sustainability certificates Weight & dimensions	
Cabling technology Wi-Fi * Top Wi-Fi standard	10/100/1000Base-T(X) ✓ Wi-Fi 6 (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4	Sustainability certificates Weight & dimensions Width *	154 mm
Cabling technology Wi-Fi * Top Wi-Fi standard Wi-Fi standards WLAN controller manufacturer	10/100/1000Base-T(X) ✓ Wi-Fi 6 (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax) Realtek	Sustainability certificates Weight & dimensions Width * Depth *	154 mm 292.8 mm
Cabling technology Wi-Fi * Top Wi-Fi standard Wi-Fi standards WLAN controller manufacturer WLAN controller model	10/100/1000Base-T(X) ✓ Wi-Fi 6 (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax) Realtek Realtek RTL8852BE	Sustainability certificates Weight & dimensions Width * Depth * Height *	154 mm 292.8 mm 324.3 mm
Cabling technology Wi-Fi * Top Wi-Fi standard Wi-Fi standards WLAN controller manufacturer WLAN controller model Bluetooth	10/100/1000Base-T(X) ✓ Wi-Fi 6 (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax) Realtek Realtek RTL8852BE ✓	Sustainability certificates Weight & dimensions Width * Depth * Height * Weight *	154 mm 292.8 mm 324.3 mm
Cabling technology Wi-Fi * Top Wi-Fi standard Wi-Fi standards WLAN controller manufacturer WLAN controller model Bluetooth MU-MIMO	10/100/1000Base-T(X) ✓ Wi-Fi 6 (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax) Realtek Realtek RTL8852BE	Sustainability certificates Weight & dimensions Width * Depth * Height * Weight * Carbon footprint	154 mm 292.8 mm 324.3 mm 7.05 kg
Cabling technology Wi-Fi * Top Wi-Fi standard Wi-Fi standards WLAN controller manufacturer WLAN controller model Bluetooth MU-MIMO Ports & interfaces USB 2.0 ports quantity *	10/100/1000Base-T(X) ✓ Wi-Fi 6 (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax) Realtek Realtek RTL8852BE ✓	Sustainability certificates Weight & dimensions Width * Depth * Height * Weight * Carbon footprint Total carbon footprint (kg of CO2e) Carbon emissions, manufacturing (kg of CO2e) Carbon emissions, logistics (kg of CO2e)	154 mm 292.8 mm 324.3 mm 7.05 kg 176 107.184 13.2
Cabling technology Wi-Fi * Top Wi-Fi standard Wi-Fi standards WLAN controller manufacturer WLAN controller model Bluetooth MU-MIMO <b>Ports &amp; interfaces</b> USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	10/100/1000Base-T(X) ✓ Wi-Fi 6 (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax) Realtek Realtek RTL8852BE ✓ ✓	Sustainability certificates Weight & dimensions Width * Depth * Height * Weight * Carbon footprint Total carbon footprint (kg of CO2e) Carbon emissions, manufacturing (kg of CO2e) Carbon emissions, logistics (kg of	154 mm 292.8 mm 324.3 mm 7.05 kg 176 107.184 13.2
Cabling technology Wi-Fi * Top Wi-Fi standard Wi-Fi standards WLAN controller manufacturer WLAN controller model Bluetooth MU-MIMO Ports & interfaces USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity *	10/100/1000Base-T(X) ✓ Wi-Fi 6 (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax) Realtek Realtek RTL8852BE ✓ ✓	Sustainability certificates Weight & dimensions Width * Depth * Height * Weight * Carbon footprint Total carbon footprint (kg of CO2e) Carbon emissions, manufacturing (kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg	154 mm 292.8 mm 324.3 mm 7.05 kg 176 107.184 13.2
Cabling technology Wi-Fi * Top Wi-Fi standard Wi-Fi standards WLAN controller manufacturer WLAN controller model Bluetooth MU-MIMO <b>Ports &amp; interfaces</b> USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity *	10/100/1000Base-T(X)  ✓ Wi-Fi 6 (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax) Realtek Realtek RTL8852BE  ✓  4 3 1 1 1	Sustainability certificates Weight & dimensions Width * Depth * Height * Weight * Carbon footprint Total carbon footprint (kg of CO2e) Carbon emissions, manufacturing (kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use	154 mm 292.8 mm 324.3 mm 7.05 kg 176 107.184 13.2 46.816 8.8
Cabling technology Wi-Fi * Top Wi-Fi standard Wi-Fi standards WLAN controller manufacturer WLAN controller model Bluetooth MU-MIMO <b>Ports &amp; interfaces</b> USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity * HDMI ports quantity *	10/100/1000Base-T(X)  ✓ Wi-Fi 6 (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax) Realtek Realtek RTL8852BE  ✓  4 3 1 1 1 1 1.4b	Sustainability certificates Weight & dimensions Width * Depth * Height * Weight * Carbon footprint Total carbon footprint (kg of CO2e) Carbon emissions, manufacturing (kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e)	154 mm 292.8 mm 324.3 mm 7.05 kg 176 107.184 13.2 46.816 8.8 129.184
Cabling technology Wi-Fi * Top Wi-Fi standard Wi-Fi standards WLAN controller manufacturer WLAN controller model Bluetooth MU-MIMO Ports & interfaces USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity * HDMI ports quantity * HDMI version DisplayPorts quantity	10/100/1000Base-T(X)  ✓ Wi-Fi 6 (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax) Realtek Realtek RTL8852BE  ✓  4 3 1 1 1 1 1 1 1 4 1 1 4 1 4 4 4 4 4	Sustainability certificates Weight & dimensions Width * Depth * Height * Weight * Carbon footprint Total carbon footprint (kg of CO2e) Carbon emissions, manufacturing (kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use	154 mm 292.8 mm 324.3 mm 7.05 kg 176 107.184 13.2 46.816 8.8
Cabling technology Wi-Fi * Top Wi-Fi standard Wi-Fi standards WLAN controller manufacturer WLAN controller model Bluetooth MU-MIMO Ports & interfaces USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity * HDMI ports quantity * HDMI version DisplayPorts quantity	10/100/1000Base-T(X)  ✓ Wi-Fi 6 (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax) Realtek Realtek RTL8852BE  ✓ 1 1 1 1 1 1 4 1 1 1 4 1 1 1 4 1 1 1 4 1 1 1 4 1 1 1 4 1 1 1 4 1 1 1 4 1 1 1 1 4 1 1 1 1 4 1 1 1 1 4 1	Sustainability certificates Weight & dimensions Width * Depth * Height * Weight * Carbon footprint Total carbon footprint (kg of CO2e) Carbon emissions, manufacturing (kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e)	154 mm 292.8 mm 324.3 mm 7.05 kg 176 107.184 13.2 46.816 8.8 129.184
Cabling technology Wi-Fi * Top Wi-Fi standard Wi-Fi standards WLAN controller manufacturer WLAN controller model Bluetooth MU-MIMO Ports & interfaces USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity * HDMI ports quantity * HDMI version DisplayPorts quantity	10/100/1000Base-T(X)  ✓ Wi-Fi 6 (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax) Realtek Realtek RTL8852BE  ✓  4 3 1 1 1 1 1 1 1 4 1 1 4 1 4 4 4 4 4	Sustainability certificates Weight & dimensions Width * Depth * Height * Weight * Carbon footprint Total carbon footprint (kg of CO2e) Carbon emissions, manufacturing (kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e) PAIA version	154 mm 292.8 mm 324.3 mm 7.05 kg 176 107.184 13.2 46.816 8.8 129.184



5397184827635

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.