



# EnGenius ECP212-INT unità di distribuzione dell'energia (PDU) 12 presa(e) AC 2U Nero

Marchio : EnGenius

Codice prodotto: ECP212-INT

Nome del prodotto : ECP212-INT

EnGenius ECP212-INT. Tipi di PDU: Gestito, Capacità di rack: 2U, Materiale della scocca: SECC. Quantità prese AC: 12 presa(e) AC, Tipo di uscita AC: Accoppiatore C13, Tipo connessione ingresso: H05VV-F 3G. Lunghezza cavo: 1,83 m, Tipo di cavo: CEE 7-VII. Monitoraggio: Potenza. Voltaggio nominale di entrata: 200 - 240 V, Corrente massima: 10 A, Frequenza di ingresso AC: 50/60 Hz



| Design                     |                 | Power  |                     |
|----------------------------|-----------------|--|---------------------|
| PDU types *                | Managed         | Output voltage   | 200 - 240 V         |
| Rack capacity *            | 2U              | Power protection features  | Surge protection    |
| Housing material           | SECC            | Maximum power  | 2400 W              |
| Product colour             | Black           | Surge protection   | ✓                   |
| Display                    | LCD             | Circuit breaker  | ✓                   |
| On/off switch              | ✓               |  |                     |
| Illuminated on/off switch  | ✓               |  |                     |
| Ports & interfaces         |                 | Certificates   |                     |
| AC outlets quantity *      | 12 AC outlet(s) | Compliance certificates  | CE, RCM, RoHS, WEEE |
| AC outlet types *          | C13 coupler     | Operational conditions   |                     |
| Ethernet LAN (RJ-45) ports | 2               | Operating temperature (T-T)  | 0 - 45 °C           |
| Input connection type      | H05VV-F 3G      | Storage temperature (T-T)  | -30 - 70 °C         |
|                            |                 | Operating relative humidity (H-H)  | 5 - 95%             |
|                            |                 | Storage relative humidity (H-H)  | 5 - 95%             |
| Features                   |                 | Weight & dimensions  |                     |
| Reset button               | ✓               | Width  | 440 mm              |
| LED indicators             | ✓               | Depth  | 10.9 mm             |
| Cable length               | 1.83 m          | Height   | 88 mm               |
| Cable type                 | CEE 7-VII       | Weight   | 2.46 kg             |
| Management features        |                 | Packaging content  |                     |
| Monitoring                 | Power           | Packaging content<br>1 - ECP212-INT PDU 1 - Inlet Power Cord 2 - C14 to C13 Plug Adapter 1 - Mounting Brackets 4 - Rubber Feet Cushion 8 - M4x6 Screws 4 - T4x19 Screws 4 - Spacer 1 -Drywall Anchor Kit 1 -Retention Clip |                     |
| Power                      |                 |  |                     |
| Nominal input voltage *    | 200 - 240 V     |  |                     |
| AC input frequency         | 50/60 Hz        |  |                     |
| Maximum current *          | 10 A            |  |                     |
| Block 1 output current     | 12 A            |  |                     |

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 08-FEB-2025. Prints or copies of Information are only valid on the printed Publication date