



## EZVIZ H8c PoE 2K Cupola Telecamera di sicurezza IP Esterno 2304 x 1296 Pixel Soffitto/muro

**Marchio :** EZVIZ

**Codice prodotto:** CS-H8C POE (2K) 4MM

**Nome del prodotto :** H8c PoE 2K

EZVIZ H8c PoE 2K. Tipo: Telecamera di sicurezza IP, Posizionamento supportato: Esterno, Tecnologia di connessione: Cablato. Tipo di montaggio: Soffitto/muro, Colore del prodotto: Bianco, Fattore di forma: Cupola. Angolo di visione dell'obiettivo, orizzontale: 89°, Angolo di visione dell'obiettivo, verticale: 46°, Angolo di visione dell'obiettivo, diagonale: 104°. Tipo sensore: CMOS, Dimensioni sensore ottico: 25,4 / 2,8 mm (1 / 2.8"). Lunghezza focale fissa: 4 mm



Performance		Network	
Type *	IP security camera	Wi-Fi *	✗
Placement supported *	Outdoor	Bluetooth *	✗
Connectivity technology *	Wired		
Auto-tracking	✓		
Wide Dynamic Range (WDR)	✓		
Day/night mode	✓		
Infrared (IR) cut-off filter	✓		
Built-in light	✓		
Design		Storage	
Form factor *	Dome	Built-in HDD *	✗
Mounting type *	Ceiling/wall	Compatible memory cards	MicroSD (TransFlash)
Product colour *	White	Maximum memory card size	512 GB
Weatherproof	✓		
Camera		Ports & interfaces	
Minimum illumination	0 lx	Ethernet LAN (RJ-45) ports	1
Lens viewing angle, horizontal	89°	DC-in jack	✓
Lens viewing angle, vertical	46°		
Lens viewing angle, diagonal	104°		
Tilt angle range	0 - 80°		
Pan range	0 - 350°		
Image sensor		Security	
Number of sensors	1	Password protection	✓
Optical sensor size	25.4 / 2.8 mm (1 / 2.8")	Video motion detection	✓
Progressive scan	✓	Intelligent Video Surveillance (IVS) system features	Human detection
Sensor type *	CMOS	Anti-flicker	✓
		Heartbeat	✓
		Digital watermark	✓
		Configurable region	✓
		Management features	
		Cloud services supported	EZVIZ Cloud
		Power	
		Power source type *	DC, PoE
		Power consumption (max)	12 W
		DC output voltage	12
		DC output current	1 A

<b>Lens system</b>		<b>Operational conditions</b>	
Number of lenses *	1	Operating temperature (T-T)	-30 - 50 °C
Maximum aperture number	1.6	Operating relative humidity (H-H)	0 - 95%
Fixed focal length	4 mm	<b>Weight &amp; dimensions</b>	
<b>Night vision</b>		Width	100 mm
Night vision *	✓	Depth	140 mm
Night vision distance	30 m	Height	136 mm
B/W night vision distance	30 m	Weight	525 g
LED type	IR/White	<b>Packaging data</b>	
<b>Video</b>		Package width	140 mm
Maximum resolution *	2304 x 1296 pixels	Package depth	140 mm
Video formats supported	H.264, H.265	Package height	192 mm
Video compression formats	H.264, H.265	Package weight	745 g
Frame rate	30 fps	<b>Sustainability</b>	
Video streaming	✓	Sustainability compliance	✓
Noise reduction	✓	Compliance certificates	CE, Federal Communications Commission (FCC), REACH, RoHS, UKCA, WEEE
Noise reduction technology	3D noise reduction	<b>Packaging content</b>	
Digital Wide Dynamic Range (DWDR)	✓	Number of cameras *	1
<b>Audio</b>		Screws included	✓
Built-in speaker(s)	✓	Drilling template included	✓
Audio system	2-way	Manual	✓
Built-in microphone	✓	AC adapter included	✓
<b>Network</b>		Quick start guide	✓
Ethernet LAN *	✓	Waterproof connector	✓
Ethernet interface type	Fast Ethernet	<b>Technical details</b>	
		Lens mount interface	M12



6941545632261

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 06-DEC-2024. Prints or copies of Information are only valid on the printed Publication date