



LevelOne FCS-3402 telecamera di sorveglianza Cupola Telecamera di sicurezza IP Interno e esterno 1920 x 1080 Pixel Soffitto/muro

Marchio : LevelOne

Codice prodotto: FCS-3402

Nome del prodotto : FCS-3402

LevelOne FCS-3402. Tipo: Telecamera di sicurezza IP, Posizionamento supportato: Interno e esterno, Tecnologia di connessione: Cablato. Tipo di montaggio: Soffitto/muro, Colore del prodotto: Bianco, Fattore di forma: Cupola. Angolo di campo visivo: 86°, Angolo di visione dell'obiettivo, verticale: 46°, Angolo di visione dell'obiettivo, diagonale: 102°. Tipo sensore: CMOS, Dimensioni sensore ottico: 25,4 / 2,8 mm (1 / 2.8"). Zoom digitale: 8x, Lunghezza focale fissa: 4 mm



Performance		Storage	
Type *	IP security camera	Built-in HDD *	✗
Placement supported *	Indoor & outdoor	Card reader integrated	✓
Connectivity technology *	Wired	Compatible memory cards	MicroSDHC, MicroSDXC
Day/night mode	✓	Ports & interfaces	
Infrared (IR) cut-off filter	✓	Ethernet LAN (RJ-45) ports	1
Certification	CE, FCC	Microphone in	✓
Design		Headphone outputs	1
Form factor *	Dome	Terminal block port	✓
Mounting type *	Ceiling/wall	DC-in jack	✓
Product colour *	White	Security	
LED indicators	Power	Password protection	✓
Protection features	Dust resistant, Heat resistant, Rain proof, Snow resistant, Vandal proof	Video motion detection	✓
International Protection (IP) code	IP67	Active tampering alarm	✓
IK code	IK10	Anti-flicker	✓
Weatherproof	✓	Heartbeat	✓
Country of origin	China	Mirror	✓
Camera		Digital watermark	✓
Minimum illumination	0 lx	Management features	
Field of view (FOV) angle	86°	Reset button	✓
Lens viewing angle, vertical	46°	Power	
Lens viewing angle, diagonal	102°	Power source type *	DC, PoE
Camera shutter speed	1/3 - 1/100000 s	Power consumption	400 mA
Image sensor		Power consumption (max)	5 W
Optical sensor size	25.4 / 2.8 mm (1 / 2.8")	Power consumption (Power over Ethernet (PoE))	7 W
Progressive scan	✓	Operational conditions	
Sensor type *	CMOS	Operating temperature (T-T)	-30 - 60 °C
Lens system		Operating relative humidity (H-H)	0 - 95%
Zoom capability	✓		
Digital zoom	8x		
Number of lenses *	1		
Focus adjustment	2.0		

Lens system *		System requirements	
Fixed focal length	4 mm	Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64
Night vision			
Night vision *	✓		
Night vision distance	30 m		
LED type	IR		
Infra-red wavelength	850 nm		
Video			
Maximum resolution *	1920 x 1080 pixels		
Total megapixels *	2 MP		
Video formats supported	H.264, H.265, M-JPEG		
Supported graphics resolutions	320 x 240, 640 x 360, 640 x 480 (VGA), 1280 x 720 (HD 720), 1280 x 960, 1920 x 1080 (HD 1080)		
Frame rate	30 fps	Mobile operating systems supported	Android, iOS
Noise reduction	✓		
Noise reduction technology	3D noise reduction		
Image quality adjustment	Brightness, Contrast, Saturation, Sharpness		
Privacy masking	✓		
Back Light Compensation (BLC)	✓	Weight & dimensions	
Region of Interest (ROI) encoding	✓	Depth	82 mm
		Diameter	11.1 cm
		Weight	500 g
Network		Packaging data	
Ethernet LAN *	✓	Package width	134 mm
Ethernet interface type	Fast Ethernet	Package depth	111 mm
Networking standards	IEEE 802.1x, IEEE 802.3, IEEE 802.3af, IEEE 802.3u	Package height	108 mm
Supported network protocols	TCP(IPv6/v4), UDP, HTTP, HTTPS, DHCP, PPPoE, RTP, RTSP, DNS, DDNS, NTP, ICMP, ARP, IGMP,SMTP,FTP,SAMBA UPnP, SNMP, Bonjour	Package weight	502 g
		Package type	Box
Wi-Fi *	✗	Sustainability	
Bluetooth *	✗	Compliance certificates	RoHS
Number of users	32 user(s)	Packaging content	
		Number of cameras *	1
		Screws included	✓
		Resource CD	✓
Other features			
		Browser supported	IIE7+, Chrome18-42, Firefox5.0+, Safari5.02+
Logistics data			
		Harmonized System (HS) code	85258900
		Master (outer) case width	111 mm
		Master (outer) case length	111 mm
		Master (outer) case height	111 mm
		Master (outer) case gross weight	608 g
		Products per master (outer) case	24 pc(s)



4015867207697



4015867231289

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 03-APR-2025. Prints or copies of Information are only valid on the printed Publication date