

PHILIPS

## Philips PerfectCare Compact GC7846/80, Ferro da stiro generatore di vapore, 2400W, 1.5L

**Marchio :** Philips

**Codice prodotto:** GC7846/80

**Nome del prodotto :** PerfectCare Compact GC7846/80,  
Ferro da stiro generatore di vapore, 2400W, 1.5L

- Vapore ultra potente
- Nessuna impostazione di temp. richiesta
- Protezione dalle bruciature garantita
- Serbatoio dell'acqua da 1,5L
- Sist. intell. di rimozione del calc.
- Risparmio energetico
- Pratico e compatto
- Blocco da trasporto di sicurezza
- Spegnimento automatico
- Piastra SteamGlide

Philips Ferro generatore di vapore PerfectCare Compact



Philips PerfectCare Compact GC7846/80, Ferro da stiro generatore di vapore, 2400W, 1.5L:

### Il nostro generatore di vapore più compatto

#### Stiratura più veloce con 2 volte più vapore\*

Il potente vapore continuo consente una stiratura rapida di qualunque tipo di tessuto, senza la necessità di regolare la temperatura, grazie alla tecnologia OptimalTEMP. Compatto e leggero, per essere riposto comodamente.

Features		Features	
Iron power *	2400 W	Soleplate gliding star rating	3
Maximum steam pressure *	6.5 bar	Soleplate scratch-resistance star rating	4
Water tank capacity *	1.5 L	User manual recycled paper	✓
Removable water tank	✗	<b>Power</b>	
Steam/temperature control type	Automatic	AC input voltage	220 - 240 V
Steam boost function	✓	Energy saving percentage	30%
Heating time	2 min	Energy saving mode	✓
Steam boost performance *	420 g/min	<b>Ergonomics</b>	
Continuous steam	✓	Cord length	1.8 m
Continuous steam performance *	120 g/min	Cord storage	✓
Vertical steam function	✓	Hose length	1.6 m
Continuous fill	✓	Hose storage	✓
Soleplate type *	SteamGlide soleplate	Built-in power plug	✓
Product colour *	Blue	<b>Indication</b>	
Self-cleaning	✓	Ready indicator	✓
Automatic anti-calc *	✓	<b>Weight &amp; dimensions</b>	
Calc-clean function	✓	Width	193 mm
Auto power off after	2 min	Depth	373 mm
ECO mode	✓	Height	223 mm
Programmable safety shut-off	✓	Weight	2.95 kg
Suitable for tap water	✓	Iron weight	2.95 kg
Swivel angle	180°	<b>Other features</b>	
Total amount of recyclable materials	30%	Power	2400 W
Refill any time	✓	<b>Packaging content</b>	
Auto shut-off	✓	Manual	✓
Precision tip	✓		
Locking	✓		

**Packaging data**

Package width	230 mm
Package depth	393 mm
Package height	275 mm
Package weight	3.85 g



8710103935872



8710103951063



8710103951056

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 12-APR-2025. Prints or copies of Information are only valid on the printed Publication date