

Samsung HQ60A 165,1 cm (65") 4K Ultra HD Smart TV Nero 20 W

Marchio : Samsung Famiglia del prodotto: HQ60A Codice prodotto: HG65Q60AAEUXEN

Nome del prodotto : HQ60A

Samsung HQ60A. Dimensioni diagonale schermo: 165,1 cm (65"), Tipologia HD: 4K Ultra HD, Risoluzione del display: 3840 x 2160 Pixel. Colore del prodotto: Nero, Panel mounting interface 24/5000 Interfaccia per montaggio a pannello: 400 x 300 mm, Tipo di lunetta: Senza cornice 3. Tecnologia High Dynamic Range (HDR): High Dynamic Range 10+ (HDR10 Plus), Hybrid Log-Gamma (HLG), Quantum HDR, Lingue OSD: Danese, Tedesca, DUT, Inglese, ESP, Finlandese, Francese, ITA, Norvegese, Polacco, Portoghese,..., Versione Hybrid Broadcast Broadband TV (HbbTV): HbbTV 2.0.2. Soluzione di gestione contenuti: Samsung LYNK Cloud, Samsung LYNK DRM. Consumer Electronics Control (CEC): Anynet+



Display		Ports & interfaces	
Display diagonal *	165.1 cm (65")	RF ports quantity	3
HD type *	4K Ultra HD	RJ-12 ports quantity	1
Display resolution *	3840 x 2160 pixels	Consumer Electronics Control (CEC)	Anynet+
Display technology *	QLED	Common interface (CI)	✓
Screen shape	Flat	Common interface Plus (CI+)	✓
Native aspect ratio *	16:9	Common interface Plus (CI+) version	1.4
Motion interpolation technology	PQI (Picture Quality Index) 3100	Ethernet bridge (LAN-Out)	✓
Dynamic contrast ratio marketing name	Mega Contrast	Audio	
Viewing angle, horizontal	178°	Number of speakers	2
Viewing angle, vertical	178°	RMS rated power *	20 W
Display diagonal (metric)	163.83 cm	Built-in subwoofer	✗
Picture processing technology	Quantum Processor Lite	Sound modes	Dolby Audio
Colour gamut	100%	Audio decoders	Dolby Digital Plus
Design		Bluetooth audio	✓
Product colour *	Black	Network	
VESA mounting *	✓	Wi-Fi *	✓
Panel mounting interface	400 x 300 mm	Wi-Fi standards	Wi-Fi 5 (802.11ac)
Bezel type	3 Bezel-less	Bluetooth *	✓
Swivel stand	✗	Web browser	✓
Performance		Ethernet LAN *	✓
High Dynamic Range (HDR) supported	✓	Power	
High Dynamic Range (HDR) technology	High Dynamic Range 10+ (HDR10 Plus), Hybrid Log-Gamma (HLG), Quantum HDR	Power consumption (typical) *	102 W
Smart TV *	✓	Power consumption (standby)	0.5 W
On Screen Display (OSD)	✓	Power consumption (max)	170 W
On Screen Display (OSD) languages	Danish, German, Dutch, English, Spanish, Finnish, French, Italian, Norwegian, Polish, Portuguese, Russian, Swedish	Energy efficiency class (SDR) *	F
		Energy efficiency class (HDR) *	G
Number of OSD languages	28	Energy consumption (SDR) per 1000 hours	102 kWh
Electronic Programme Guide (EPG)	✓	Energy consumption (HDR) per 1000 hours	171 kWh
Auto power off	✓	AC input voltage	220-240 V
		AC input frequency	50-60 Hz
		Energy efficiency scale	A to G

Performance			Weight & dimensions	
Hybrid Broadcast Broadband TV (HbbTV)	✓		Width (with stand)	1450.9 mm
Hybrid Broadcast Broadband TV (HbbTV) version	HbbTV 2.0.2		Depth (with stand)	281.8 mm
ConnectShare (HDD)	✓		Height (with stand)	871 mm
ConnectShare (USB)	✓		Weight (with stand)	21.8 kg
Power on mode	✓		Width (without stand)	1450.9 mm
Picture-in-Picture	✗		Depth (without stand)	25.7 mm
Teletext function	✓		Height (without stand)	831.8 mm
Ambient mode	Yes		Weight (without stand)	20.9 kg
Digital Clean View	✓		Packaging data	
IPv6 support	✓		Package width	1612 mm
MBR support	✓		Package depth	164 mm
Sound mirroring	✓		Package height	950 mm
Hospitality features			Package weight	28.8 kg
Hospitality home menu	✓		Packaging content	
Hotel channel list	✓		Remote control included	✓
Hospitality Plug and Play	✓		Remote control type	TM2180E
Welcome message	✗		Batteries included	✗
Clock back up supply	✓		Mini wall mount included	✓
Software clock	✗		Other features	
My Channel function	✓		Wi-Fi Direct	✓
USB cloning	✓		H.Browser compatibility	✓
Smooovie compatibility	✗		VESA mount included	✓
Subtitles function	✓		Digital Living Network Alliance (DLNA) certified	✓
Auto source mode	✗		TTX clock update (analogue)	✗
Alarm clock	✓		TV tuner	
Content management solution	Samsung LYNK Cloud, Samsung LYNK DRM		Tuner type *	Analog & digital
Security mode	✓		Digital signal format system *	ATSC, DVB-C, DVB-S2, DVB-T, DVB-T2
Ports & interfaces			Auto channel search	✓
HDMI ports quantity *	3		Brand-specific features	
Ethernet LAN (RJ-45) ports	1		Samsung technologies (AV/TV)	Contrast Enhancer, LED Clear Motion, Mobile Mirroring, Samsung TV Plus, Supreme UHD Dimming
USB 2.0 ports quantity *	2			
Digital audio optical out	1			



8806092625099

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 22-JAN-2025. Prints or copies of Information are only valid on the printed Publication date