

Brother HL-L8360CDW stampante laser A colori 2400 x 600 DPI A4 Wi-Fi

Marchio : Brother

Codice prodotto: HL-L8360CDW

Nome del prodotto : HL-L8360CDW

- Stampa veloce fino a 31 ppm, con unità fronte-retro automatica
 - Rete cablata e wireless
 - Funzionalità di sicurezza con Secure Function Lock 3.0, IPsec, 802.1x e Secure Print
 - Flessibili opzioni di gestione carta con capacità carta standard fino a 300 fogli espandibile fino a 2.380
 - Cartucce sostitutive opzionali ad altissima capacità (cartucce di toner nero da 9.000 pagine e cartucce di toner ciano, magenta e giallo da 6.500 pagine)
 - Interfaccia NFC integrata per autenticazione utente e stampa da mobile Android
- Stampante a colori ad altissima velocità fino a 31 ppm con duplex, rete cablata, WiFi, toner opzionali da 9.000 pagine per il nero e 6.500 pagine per i colori.



[Brother HL-L8360CDW stampante laser A colori 2400 x 600 DPI A4 Wi-Fi:](#)


Estremamente flessibile, il modello HL-L8360CDW è dotato di una gamma di funzionalità personalizzabili che consentono di ottimizzare la produttività della propria attività aziendale.

Printing		Network	
Duplex printing mode	Auto	Web-based management	✓
Print speed (colour, normal quality, A4/US Letter)	31 ppm	Mobile printing technologies	Apple AirPrint, Brother iPrint & Scan, Google Cloud Print, Kindle Fire Printing, Mopria Print Service
Colour *	✓	Performance	
Print technology *	Laser	Internal memory *	512 MB
Duplex printing *	✓	Maximum internal memory	512 MB
Maximum resolution *	2400 x 600 DPI	Memory slots	1
Print speed (black, normal quality, A4/US Letter) *	31 ppm	Card reader integrated	✓
Duplex print speed (black, normal quality, A4/US Letter)	14 ppm	Built-in processor	✓
Warm-up time	29 s	Processor frequency	800 MHz
Warm-up time (from sleep mode)	29 s	Coprocessor	✓
Time to first page (black, normal)	15 s	Coprocessor frequency	0.133 GHz
Time to first page (colour, normal)	15 s	Sound pressure level (printing)	49 dB
Secure printing	✓	Design	
N-up printing	2, 4, 9, 16, 25	Market positioning *	Business
Economical printing	✓	Product colour *	Grey
Features		Built-in display *	✓
Maximum duty cycle *	60000 pages per month	Display	LCD
Printing colours *	Black, Cyan, Magenta, Yellow	Colour display	✓
Number of print cartridges *	1	Display diagonal	6.86 cm (2.7")
Page description languages *	PCL 6, PDF 1.7, PostScript 3, XPS	Touchscreen	✓
Country of origin	China	Control type	Touch
Input & output capacity		Certification	Cerner Certified, Citrix Ready
Total number of input trays *	1	Power	
Total input capacity *	250 sheets	Power consumption (printing) *	580 W
Total output capacity *	150 sheets	Power consumption (ready)	1.5 W

Input & output capacity		Power	
Paper input type	Cassette, Paper tray	Power consumption (standby)	70 W
Auto document feeder (ADF) input capacity	50 sheets	Power consumption (PowerSave)	340 W
Multi-Purpose tray	✓	Power consumption (off)	0.03 W
Maximum number of input trays	4	Energy Star Typical Electricity Consumption (TEC)	0.578 kWh/week
Paper handling		AC input voltage	120 V
Maximum ISO A-series paper size *	A4	AC input frequency	50 - 60 Hz
Paper tray media types *	Plain paper, Recycled paper, Thin paper	System requirements	
Multi-purpose tray media types	Envelopes, Glossy paper, Labels, Plain paper, Recycled paper, Thick paper, Thicker paper, Thin paper	Windows operating systems supported	✓
ISO A-series sizes (A0...A9) *	A4, A5, A6	Operational conditions	
Non-ISO print media sizes	Executive, Folio, Letter, Legal	Operating temperature (T-T)	10 - 32 °C
Envelopes sizes	C5, Com-10, DL	Storage temperature (T-T)	0 - 40 °C
Custom media width	76.2 - 215.9 mm	Operating relative humidity (H-H)	20 - 80%
Custom media length	127 - 355.6 mm	Storage relative humidity (H-H)	10 - 90%
Paper tray media weight	60 - 105 g/m ²	Sustainability	
Auto Document Feeder (ADF) media weight	60 - 163 g/m ²	Sustainability certificates	Blue Angel, ENERGY STAR
Duplex media weight	60 - 105 g/m ²	Weight & dimensions	
Ports & interfaces		Width	565 mm
Standard interfaces	Ethernet, USB 2.0, Wireless LAN	Depth	520 mm
Direct printing *	✓	Height	620 mm
USB port *	✓	Weight	22.6 kg
USB 2.0 ports quantity	1	Packaging data	
Network		Package weight	26.1 kg
Network ready	✓	Packaging content	
Wi-Fi *	✓	Drivers included	✓
Ethernet LAN *	✓	Quick start guide	✓
Cabling technology	10/100/1000Base-T(X)	Cables included	AC
Ethernet LAN data rates	10,100,1000 Mbit/s	Logistics data	
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)	Harmonized System (HS) code	84433210
Near Field Communication (NFC)	✓	Pallet gross height	16.9 cm
Security algorithms	64-bit WEP, 128-bit WEP, 802.1x RADIUS, EAP-FAST, EAP-MD5, EAP-TLS, EAP-TTLS, HTTPS, IPPS, IPSEC, PEAP, SMTP-AUTH, SNMP, SSL/TLS, WPA-AES, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-PSK, WPA2-TKIP	Pallet gross weight	173.4 kg
Supported network protocols (IPv4)	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/HTTPS Server, TFTP Client & Server, SMTP Client, SNMPv1/v2c/v3, ICMP, Web Services (Print), CIFS Client, SNTIP Client, LDAP	Master (outer) cases per pallet	6 pc(s)
Supported network protocols (IPv6)	NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/HTTPS Server, TFTP Client & Server, SMTP Client, SNMPv1/v2c/v3, ICMPv6, Web Services (Print), CIFS Client, SNTIP Client, LDAP	Layers per pallet	3 pc(s)
		Products per pallet	6 pc(s)
		Technical details	
		Master (outer) cases per pallet layer	2 pc(s)
		Pallet type	800 x 1200 mm
		Other features	
		Printer management	BRAdmin Professional 3, BRAdmin Light



4977766774208



4977766774185



4977766774215



4977766768795




4977766774192



0012502646426



012502646426



4977766771573

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.