

Hisense HV643D60 lavastoviglie A scomparsa totale 16 coperti D

Marchio : Hisense

Codice prodotto: HV643D60

Nome del prodotto : HV643D60

16 coperti, 85 kWh/100 cicli, 44 dB(A), 6 programmi  
Hisense HV643D60. Posizionamento dell'apparecchio: A scomparsa totale, Dimensione: Dimensione massima (60 cm), Colore pannello di controllo: Acciaio inox. Numero di coperti: 16 coperti, Classe emissione rumore: B, Emissione acustica: 44 dB. Classe efficienza energetica: D, Consumo di acqua per ciclo: 11 L, Consumo energetico per 100 cicli: 85 kWh. Larghezza: 598 mm, Profondità: 555 mm, Altezza: 816 mm. Larghezza imballo: 640 mm, Profondità imballo: 665 mm, Altezza imballo: 880 mm



Design		Performance	
Appliance placement *	Fully built-in	Glass protection	✓
Product size *	Full size (60 cm)	Overflow protection *	✓
Custom panel-ready *	✓	Self-cleaning	✓
Door colour *	Not applicable	Ergonomics	
Control panel colour	Stainless steel	Automatic door opening	✓
Control type	Touch	Self-cleaning filter	✓
Built-in display *	✓	Adjustable feet	✓
Display type	LED	Ready indicator	✓
Built-in water softener	✓	Remaining time indication	✓
Water fill	Cold, Hot	Salt indicator	✓
Number of baskets	3 basket(s)	Rinse aid indicator	✓
Baskets adjustable placement	Upper	Power	
Upper basket adjustable height	✓	Energy efficiency scale	A to G
Cutlery compartment type	Drawer	Energy efficiency class *	D
Tub material	Stainless steel	Energy consumption per cycle	0.85 kWh
Performance		Water consumption per cycle *	11 L
Noise level *	44 dB	Energy consumption per 100 cycles *	85 kWh
Dishwashing programs *	Auto, Delicate, Eco, Hygiene, Intensive	Weight & dimensions	
Drying system	Residual heat	Depth	555 mm
Number of place settings *	16 place settings	Height	816 mm
Number of washing programs *	6	Weight	30.5 kg
Noise emission class *	B	Installation compartment width	60 cm
Automatic programs	✓	Installation compartment depth	55.5 cm
Number of temperature settings	7	Installation compartment height	82 cm
Temperature (max) *	70 °C	Width *	598 mm
Cycle time *	175 min		
Delayed start timer	✓		

Performance		Packaging data	
Delay start (max)	24 h	Package width	640 mm
AquaStop function *	✓	Package depth	665 mm
SelfDry function	✓	Package height	880 mm



3838782617195

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 01-MAR-2025. Prints or copies of Information are only valid on the printed Publication date