EZVIZ CS-C6N-A0-1C2WFR Cupola Telecamera di sicurezza IP Interno 1920 x 1080 Pixel Scrivania

Marchio : EZVIZ

Codice prodotto: INE320

Nome del prodotto : CS-C6N-A0-1C2WFR

- Vista Live
- Ricezione Audio
- Notifiche immediate
- Cronologia Video
- Zoom fino a 8x
- Funzionalità Smart Home

1/4" CMOS, FHD, Smart, 4 mm, H.264/H.265, 3D DNR, DWDR, 32Gb, Micro SD, RJ45, Wi-Fi, 218 g
EZVIZ CS-C6N-A0-1C2WFR. Tipo: Telecamera di sicurezza IP, Posizionamento supportato: Interno, Tecnologia di connessione: Con cavo e senza cavo. Tipo di montaggio: Scrivania, Colore del prodotto: Nero, Bianco, Fattore di forma: Cupola. Angolo di visione dell'obiettivo, orizzontale: 75°, Angolo di visione dell'obiettivo, verticale: 45°, Angolo di visione dell'obiettivo, diagonale: 85°. Tipo sensore: CMOS, Dimensioni sensore ottico: 25,4 / 4 mm (1 / 4"). Zoom digitale: 8x, Lunghezza focale fissa: 4 mm

Performance

Type *	IP security camera
Placement supported *	Indoor
Connectivity technology *	Wired & Wireless
Wide Dynamic Range (WDR)	✔
Infrared (IR) cut-off filter	✔
Operating frequency	2400 - 2483.5 MHz
Certification	FCC / UL / CE / WEEE / REACH

Design

Form factor *	Dome
Mounting type *	Desk
Product colour *	Black, White

Camera

Lens viewing angle, horizontal	75°
Lens viewing angle, vertical	45°
Lens viewing angle, diagonal	85°
White balance	Auto
Camera shutter type	Electronic

Image sensor

Number of sensors	1
Optical sensor size	25.4 / 4 mm (1 / 4")
Progressive scan	✔
Sensor type *	CMOS

Lens system

Zoom capability	✔
Digital zoom	8x
Number of lenses *	1
Maximum aperture number	2.4
Fixed focal length	4 mm

Night vision

Night vision *	✔
Night vision distance	10 m
LED type	IR

Video

Maximum resolution *	1920 x 1080 pixels
Total megapixels *	2 MP

Network

Ethernet LAN *	✔
Ethernet interface type	Fast Ethernet
Wi-Fi *	✔
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Wi-Fi data rate (max)	72.2 Mbit/s
Bluetooth *	✘
Channel bandwidth	20 MHz

Storage

Built-in HDD *	✘
Card reader integrated	✔
Compatible memory cards	MicroSD (TransFlash)
Maximum memory card size	256 GB

Ports & interfaces

Ethernet LAN (RJ-45) ports	1
USB port	✔

Security

Video motion detection	✔
Security algorithms	64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK
Motion sensor	✔

Management features

Web-based management	✔

Power

Power source type *	DC, USB
Power consumption (max)	5 W
DC output voltage	5
DC output current	1 A

Operational conditions

Operating temperature (T-T)	-10 - 45 °C
Operating relative humidity (H-H)	0 - 95%

Weight & dimensions

Width	88 mm
Depth	88.2 mm
Height	119 mm

Video

Video compression formats	H.264
Supported graphics resolutions	1920 x 1080 (HD 1080)
Supported video modes	1080p
Frame rate	15 fps
Video streaming	✔
Noise reduction	✔
Noise reduction technology	3D noise reduction
Digital Wide Dynamic Range (DWDR)	✔

Audio

Built-in speaker(s)	✔
Built-in microphone	✔

Weight & dimensions

Weight	218 g

Packaging data

Package width	103 mm
Package depth	103 mm
Package height	168 mm

Sustainability

Compliance certificates	CE, Federal Communications Commission (FCC), REACH, RoHS, UL, WEEE

Packaging content

Number of cameras *	1
Cables included	AC
Mounting kit	✔
Screws included	✔
Included memory card size	32 GB
Manual	✔
AC adapter included	✔

Technical details

Lens mount interface	M12

8058640144860