



LevelOne KVM-3208 switch per keyboard-video-mouse (kvm) Montaggio rack Nero

Marchio : LevelOne

Codice prodotto: KVM-3208

Nome del prodotto : KVM-3208



LevelOne KVM-3208. Tipo di porte tastiera: USB, PS/2, Tipo porta mouse: USB, PS/2, Tipo porta video: VGA. Risoluzione massima: 2048 x 1536 Pixel, Intervallo di scansione: 10,15,20,25,30,35,40,45,50,55,60,70,80,90 s, Ritardo di scansione automatica (min): 10 s. Colore del prodotto: Nero, Capacità di rack: 1U, Materiale della scocca: Metallo. Alimentazione: dC, Voltaggio di ingresso: 9 V, Corrente d'ingresso: 1 A. Sistema operativo Windows supportato: Windows 2000, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic,...



Connettività		Requisiti di sistema	
Numero di computer *	8	Compatibilità sistema operativo Mac	✓
Tipo di porte tastiera *	USB, PS/2	Sostenibilità	
Tipo porta mouse *	USB, PS/2	Conformità alla sostenibilità	✓
Tipo porta video *	VGA	Certificati di sostenibilità	CE, Federal Communications Commission (FCC), UKCA, WEEE
Quantità porte VGA (D-Sub)	8	Condizioni ambientali	
Porte della console *	PS/2, USB A, VGA (D-Sub)	Intervallo temperatura di funzionamento	0 - 40 °C
Quantità di porte USB della console	2	Intervallo di temperatura	-10 - 70 °C
Quantità porte PS/2	2	Range di umidità di funzionamento	0 - 85%
Jack DC-in	✓	Umidità	0 - 90%
Prestazione		Dimensioni e peso	
Risoluzione massima *	2048 x 1536 Pixel	Larghezza	410 mm
Intervallo di scansione	10,15,20,25,30,35,40,45,50,55,60,70,80,90 s	Profondità	165 mm
Ritardo di scansione automatica (min)	10 s	Altezza	44,5 mm
Ritardo di scansione automatica (max)	95 s	Peso	1,84 kg
Catena Daisy	✓	Dati su imballaggio	
Massima distanza di funzionamento	30 m	Larghezza imballo	567 mm
Design		Profondità imballo	245 mm
Montaggio rack *	✓	Altezza imballo	106 mm
Capacità di rack	1U	Peso dell'imballo	2,88 kg
Colore del prodotto *	Nero	Tipo di imballo	Scatola
Materiale della scocca	Metallo	Contenuto dell'imballo	
A cascata	✓	Manuale dell'utente	✓
Indicatori LED	Potenza	Adattatore AC/DC	✓
Pulsante	✓	Dettagli tecnici	
Tasti di scelta rapida	✓	Lunghezza del pallet	110 cm
Display		Ampiezza del pallet	120 cm
Display incorporato *	✗	Altezza del pallet (aria)	11,5 cm
On Screen Display (OSD)	✓	Dati logistici	
Gestione energetica		Numero di cartoni per pallet (aria)	24 pz
Alimentazione	dC	Larghezza scatola principale	585 mm
Voltaggio di ingresso	9 V	Lunghezza del cartone principale	270 mm
Corrente d'ingresso	1 A	Altezza scatola principale	545 mm
Adattatore esterno	✓	Peso del cartone principale	15,2 kg

Requisiti di sistema		Dati logistici	
	Windows 2000, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 95, Windows 98, Windows 98SE, Windows ME, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows Vista x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64	Quantità per cartone principale	5 pz
Sistema operativo Windows supportato		Paese di origine	Taiwan
Sistema operativo Linux supportato	✓		



4015867229385



0846359058602



846359058602

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.