

Samsung QB24R-B Pannello piatto per segnaletica digitale 61 cm (24") LCD Wi-Fi 250 cd/m² Full HD Nero Processore integrato Tizen 4.0 16/7

Marchio : Samsung Famiglia del prodotto: QBR-B Codice prodotto: LH24QBRBBGCXEN

Nome del prodotto : QB24R-B

Samsung QB24R-B. Design del prodotto: Pannello piatto per segnaletica digitale. Dimensioni diagonale schermo: 61 cm (24"), Tecnologia display: LCD, Risoluzione del display: 1920 x 1080 Pixel, Luminosità schermo: 250 cd/m², Tipologia HD: Full HD. Wi-Fi. Ore di servizio (ore/giorni): 16/7. Sistema operativo incluso: Tizen 4.0. Colore del prodotto: Nero



Display		Design	
Panel type	ADS	Bezel width (top)	1.79 cm
Display diagonal *	61 cm (24")	Bezel colour	Black
Display technology *	LCD	Performance	
Display resolution *	1920 x 1080 pixels	Purpose *	Universal
Display brightness *	250 cd/m²	Operating hours (hours/days)	16/7
HD type *	Full HD	HDCP	✓
Touchscreen *	✗	HDCP version	2.2
Native aspect ratio	16:9	Power	
Response time	14 ms	Power consumption (typical) *	38.5 W
Contrast ratio (typical)	1000:1	Power consumption (sleep)	0.5 W
Dynamic contrast ratio marketing name	Mega Contrast	AC input voltage	100 - 240 V
Viewing angle, horizontal	178°	AC input frequency	50 - 60 Hz
Viewing angle, vertical	178°	Computer system	
Pixel pitch	0.2745 x 0.2745 mm	Computer system *	✓
Horizontal scan range	48 - 75 kHz	Computer system type	System on Chip (SoC)
Vertical scan range	56 - 84.5 Hz	Built-in processor *	✓
Haze rate	25%	Operating system installed	Tizen 4.0
Pixel frequency (max)	594 MHz	Weight & dimensions	
Colour gamut	72%	Display width	547.9 mm
Ports & interfaces		Display depth	31.8 mm
HDMI ports quantity *	1	Display height	334.4 mm
HDMI version	1.4	Display weight	3 kg
HDMI input ports quantity	1	Packaging data	
DVI port *	✗	Package width	620 mm
USB port *	✓	Package depth	122 mm
USB ports quantity	1	Package height	419 mm
Ethernet LAN *	✓	Package weight	4.1 kg
Ethernet LAN (RJ-45) ports	1	Operational conditions	
Wi-Fi *	✓	Operating temperature (T-T)	0 - 40 °C
RS-232 interface	✓	Operating relative humidity (H-H)	10 - 80%
Infrared data port	✓	Certificates	
Remote (IR) input	1	Certification	Class B 60950-1, 62368-1

Design		Logistics data	
Product design *	Digital signage flat panel	Harmonized System (HS) code	85285210
Product colour *	Black	Technical details	
Screen shape	Flat	Audio out (mini jack)	1
VESA mounting *	✓	Other features	
Panel mounting interface	100 x 100 mm	Flash memory	8000 MB
Bezel width (bottom)	1.79 cm	RS-232 input ports	1
Bezel width (side)	9.4 mm	RJ-45 input ports	1



8806094096248

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 16-JAN-2025. Prints or copies of Information are only valid on the printed Publication date