



**iiyama LH6560UHS-B2AG visualizzatore di messaggi Pannello A digitale 165,1 cm (65") LED Wi-Fi 500 cd/m² 4K Ultra HD Nero Processore integrato Android 11 24/7**

**Marchio :** iiyama

**Codice prodotto:** LH6560UHS-B2AG

**Nome del prodotto :** LH6560UHS-B2AG

iiyama LH6560UHS-B2AG. Design del prodotto: Pannello A digitale. Dimensioni diagonale schermo: 165,1 cm (65"), Tecnologia display: LED, Risoluzione del display: 3840 x 2160 Pixel, Luminosità schermo: 500 cd/m², Tipologia HD: 4K Ultra HD. Wi-Fi. Ore di servizio (ore/giorni): 24/7. Sistema operativo incluso: Android 11. Colore del prodotto: Nero



Display		Performance	
Panel type	ELED	Purpose *	Universal
Display diagonal *	165.1 cm (65")	On Screen Display (OSD) languages	Simplified Chinese, Czech, German, English, Spanish, French, Italian, Japanese, Polish, Russian
Display technology *	LED	Operating hours (hours/days)	24/7
Display resolution *	3840 x 2160 pixels	HDCP	✓
Display brightness *	500 cd/m²	HDCP version	1.4/2.2
HD type *	4K Ultra HD	Mean time between failures (MTBF)	50000 h
Touchscreen *	✗	Power	
Native aspect ratio	16:9	Power consumption (typical) *	100 W
Response time	6.5 ms	Power consumption (standby) *	0.5 W
Contrast ratio (typical)	5000:1	Energy efficiency class (SDR)	F
Viewing angle, horizontal	178°	AC input voltage	100 - 240 V
Viewing angle, vertical	178°	AC input frequency	50 Hz
Display number of colours	1.07 billion colours	Computer system	
Active display area (W x H)	1428.5 x 803.5 mm	Computer system *	✗
Display diagonal (metric)	164 cm	Built-in processor *	✓
Horizontal scan range	28 - 160 kHz	Processor manufacturer	ARM
Native refresh rate	60 Hz	Processor family	ARM Cortex
Ports & interfaces		Processor model	A53
HDMI ports quantity *	3	Processor cores	4
HDMI version	2.0	Internal memory	2 GB
DVI port *	✗	On-board graphics card model	ARM Mali-G52
USB port *	✓	Internal storage capacity	16 GB
USB ports quantity	2	Operating system installed	Android 11
USB version	2.0	Weight & dimensions	
Ethernet LAN *	✓	Display width	1459.2 mm
Ethernet LAN (RJ-45) ports	1	Display depth	38.9 mm
Wi-Fi *	✓	Display height	837.1 mm
Audio (L/R) in	1		
Audio (L/R) out	1		

Ports & interfaces		Weight & dimensions	
RS-232C	✓	Display weight	25.3 kg
Remote (IR) input	1	Packaging data	
Audio		Package width	1640 mm
Built-in speaker(s) *	✓	Package depth	164 mm
Number of built-in speakers	2	Package height	990 mm
RMS rated power	10 W	Package weight	36.4 kg
Design		Packaging content	
Product design *	Digital A-board	Remote control included	✓
Placement supported *	Indoor	Batteries included	✓
Orientation	Horizontal/Vertical	Cables included	HDMI, Power, RS-232
Product colour *	Black	Mounting kit	✓
VESA mounting *	✓	Operational conditions	
Panel mounting interface	400 x 400 mm	Operating temperature (T-T)	0 - 40 °C
Bezel width (bottom)	1.6 cm	Storage temperature (T-T)	-20 - 60 °C
Bezel width (side)	1.4 cm	Certificates	
Bezel width (top)	1.4 cm	Certification	CB, CE, TÜV-Bauart, EAC, RoHS support, ErP, WEEE, REACH, UKCA



4948570124459

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 03-DEC-2024. Prints or copies of Information are only valid on the printed Publication date