**SAMSUNG**

# Samsung S60UD Monitor PC 81,3 cm (32") 2560 x 1440 Pixel Quad HD LCD Nero

**Marchio :** Samsung

**Famiglia del prodotto:** ViewFinity

**Codice prodotto:** LS32D600UAUXEN

**Nome del prodotto :** S60UD

Samsung S60UD. Dimensioni diagonale schermo: 81,3 cm (32"), Risoluzione del display: 2560 x 1440 Pixel, Tipologia HD: Quad HD, Tecnologia display: LCD, Tempo di risposta: 5 ms, Rapporto d'aspetto nativo: 16:9, Angolo di visualizzazione (orizzontale): 178°, Angolo di visualizzazione (verticale): 178°. Hub USB integrato, Versione dell'hub USB: 3.2 Gen 1 (3.1 Gen 1). Montaggio standard VESA, Regolazione altezza. Colore del prodotto: Nero

## Display

| | |
|---|---|
| Display diagonal * | 81.3 cm (32") |
| Display resolution * | 2560 x 1440 pixels |
| HD type * | Quad HD |
| Native aspect ratio * | 16:9 |
| Display technology * | LCD |
| Panel type * | IPS |
| Touchscreen * | ✗ |
| Display brightness (typical) | 350 cd/m² |
| Display brightness (min) | 280 cd/m² |
| Response time * | 5 ms |
| Screen shape * | Flat |
| Contrast ratio (typical) * | 1000:1 |
| Dynamic contrast ratio marketing name | Mega Contrast |
| Maximum refresh rate * | 100 Hz |
| Viewing angle, horizontal | 178° |
| Viewing angle, vertical | 178° |
| Display number of colours * | 1.07 billion colours |
| Viewable size, horizontal | 69.8 cm |
| Viewable size, vertical | 39.3 cm |
| Display diagonal (metric) | 80 cm |
| High Dynamic Range (HDR) supported | ✔ |
| High Dynamic Range (HDR) technology | High Dynamic Range 10 (HDR10) |
| sRGB coverage (typical) | 99% |

## Performance

| | |
|---|---|
| NVIDIA G-SYNC * | ✗ |
| AMD FreeSync * | ✗ |
| Fast charging | ✔ |
| Fast charging technology | Power Delivery |
| Flicker-free technology | ✔ |

## Multimedia

| | |
|---|---|
| Built-in speaker(s) * | ✗ |

## Ergonomics

| | |
|---|---|
| VESA mounting * | ✔ |
| Panel mounting interface | 100 x 100 mm |
| Cable lock slot * | ✔ |
| Height adjustment * | ✔ |
| Height adjustment | 12 cm |
| Pivot | ✔ |
| Pivot angle | -30 - 30° |
| Swivelling | ✔ |
| Swivel angle range | -92 - 92° |
| Tilt adjustment | ✔ |
| Tilt angle range | -5 - 25° |
| Picture-in-Picture | ✔ |

## Power

| | |
|---|---|
| Energy efficiency class (SDR) * | E |
| Energy efficiency class (HDR) * | G |
| Energy consumption (SDR) per 1000 hours * | 26 kWh |
| Energy consumption (HDR) per 1000 hours * | 39 kWh |
| Power consumption (typical) * | 26 W |
| Power consumption (standby) * | 0.5 W |
| Power consumption (max) | 160 W |
| Power consumption (off) | 0.3 W |
| AC input voltage | 100 - 240 V |
| Power supply type | Internal |
| Energy efficiency scale | A to G |

## Operational conditions

| | |
|---|---|
| Operating temperature (T-T) | 10 - 40 °C |
| Operating relative humidity (H-H) | 10 - 80% |

## Weight & dimensions

| | |
|---|---|
| Width (with stand) | 713.9 mm |
| Depth (with stand) | 220 mm |
| Height (with stand) | 585 mm |
| Weight (with stand) | 7.2 kg |

## Multimedia

| | |
|---|---|
| Built-in camera * | ✘ |

## Design

| | |
|---|---|
| Market positioning * | Professional |
| Product colour * | Black |
| Feet colour | Black |

## Ports & interfaces

| | |
|---|---|
| Built-in USB hub * | ✔ |
| USB hub version | 3.2 Gen 1 (3.1 Gen 1) |
| USB upstream port type | USB Type-B |
| Number of upstream ports | 1 |
| USB Type-A downstream ports quantity | 2 |
| USB Type-C downstream ports quantity | 1 |
| USB Power Delivery (USB PD) | ✔ |
| USB Power Delivery up to | 90 W |
| HDMI * | ✔ |
| HDMI ports quantity | 1 |
| HDMI version | 2.0 |
| DisplayPorts quantity | 1 |
| DisplayPort out quantity | 1 |
| DisplayPort out version | 1.4 |
| DisplayPort version | 1.4 |
| Headphone out * | ✔ |
| Built-in KVM switch | ✔ |
| HDCP | ✔ |
| HDCP version | 2.2 |
| Charging port type | USB Type-C |

## Network

| | |
|---|---|
| Ethernet LAN | ✔ |

## Weight & dimensions

| | |
|---|---|
| Width (without stand) | 713.9 mm |
| Depth (without stand) | 41.8 mm |
| Height (without stand) | 424.7 mm |
| Weight (without stand) | 4.7 kg |

## Packaging data

| | |
|---|---|
| Stand type | HAS stand |
| Package width | 798 mm |
| Package depth | 546 mm |
| Package height | 160 mm |
| Package weight | 9.2 kg |

## Packaging content

| | |
|---|---|
| Stand included | ✔ |
| Cables included | AC, USB Type-C |
| Power cable length | 1.5 m |

## Sustainability

| | |
|---|---|
| Sustainability certificates | TCO |

## Other features

| | |
|---|---|
| Brand specific technologies | Eye Saver |
| Picture-by-Picture (PbP) | ✔ |
| Samsung Eye Saver Mode | ✔ |
| Daisy chain | ✔ |
| Image size | ✔ |
| Adaptive picture | ✔ |
| Off Timer Plus | ✔ |
| Auto source switch+ | ✔ |
| Compliance certificates | TÜV mark |
| Certification | Windows 11 |

**8806095524689**