ZYXEL

Zyxel LTE5388-M804 router wireless Gigabit Ethernet Dual-band (2.4 GHz/5 GHz) 4G Grigio, Bianco

Marchio : Zyxel

Nome del prodotto : LTE5388-M804

Codice prodotto: LTE5388-M804-EUZNV1F

Zyxel LTE5388-M804. Tipo di connessione WAN: RJ-45. Banda Wi-Fi: Dual-band (2.4 GHz/5 GHz), Wi-Fi standard: Wi-Fi 5 (802.11ac), Intervallo di trasferimento dei dati WLAN (max): 1733 Mbit/s. Tipo di interfaccia LAN Ethernet: Gigabit Ethernet, Velocità trasferimento Ethernet LAN: 10,100,1000 Mbit/s, Standard di rete: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n. Generazione di reti mobili: 4G, Standard 3G: HSPA+, HSUPA, WCDMA, Standard 4G: LTE-TDD & LTE-FDD. Algoritmi di sicurezza supportati: WPA, WPA2, Dimensioni tavola MAC: 64 voci

WAN connection

Ethernet WAN *	✔
DSL WAN *	✘
SIM card slot *	✔
3G/4G USB modem compatibility *	✘
WAN connection type	RJ-45

Wireless LAN features

Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)
Top Wi-Fi standard *	Wi-Fi 5 (802.11ac)
WLAN data transfer rate (max) *	1733 Mbit/s
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
WLAN data transfer rate (first band)	300 Mbit/s
WLAN data transfer rate (second band)	1733 Mbit/s

Network

Ethernet LAN *	✔
Ethernet LAN interface type *	Gigabit Ethernet
Ethernet LAN data rates	10,100,1000 Mbit/s
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Port forwarding	✔
Dynamic DNS (DDNS)	✔
VPN Passthrough	✔

Mobile network

Mobile network generation	4G
3G	✔

Security

MAC address filtering	✔
MAC address table	64 entries
Network address translation (NAT)	✔

Protocols

DHCP client	✔
DHCP server	✔
Supported network protocols	IPv4/IPv6

Design

Product colour	Grey, White
LED indicators	LTE, Power, USB, WLAN
On/off switch	✔
Product type *	Tabletop router

Certificates

Certification	CE, WEEE, RoHS, HSF

Packaging content

Cables included	LAN (RJ-45), Phone (RJ-11)
AC adapter included	✔
Warranty card	✔
Quick start guide	✔

Antenna

Antenna design *	Internal

Power

Power source type *	DC
Power consumption (typical)	24 W

Mobile network

4G	✔
3G standards	HSPA+, HSUPA, WCDMA
4G standard	LTE-TDD & LTE-FDD
UMTS bands supported	850,900,1800,2100 MHz
Short Message Service (SMS)	✔

Ports & interfaces

Ethernet LAN (RJ-45) ports *	2
USB port *	✔
USB 2.0 ports quantity	1
RJ-11 ports quantity	1
Memory card slot(s)	✘
DC-in jack	✔

Management features

Wi-Fi Multimedia (WMM)/(WME)	✔
WPS push button	✔

Security

Security algorithms	WPA, WPA2
Firewall	✔

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-30 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 95%

Weight & dimensions

Width	100 mm
Depth	100 mm
Height	205 mm
Weight	599 g

Packaging data

Package width	247 mm
Package depth	170 mm
Package height	120 mm
Package weight	1.6 kg
Package type	Box

Logistics data

Harmonized System (HS) code	85176990

4718937610891