Acer H6815ATV Proiettore a raggio standard 4000 ANSI lumen DLP UHD 4K (3840x2160) Bianco

Codice prodotto: MR.JWK11.005 Marchio: Acer

Nome del prodotto: H6815ATV

DLP, 3840 x 2160 4K UHD, 4000 lm, 250 W, USB 2.0, HDMI

Acer H6815ATV. Luminosità proiettore: 4000 ANSI lumen, Tecnologia di proiezione: DLP, Risoluzione nativa del proiettore: UHD 4K (3840x2160). Tipo di sorgente luminosa: Lampada, Durata della sorgente luminosa: 5000 h, Durata della sorgente luminosa (modalità risparmio): 12000 h. Messa a fuoco: Manuale, Lunghezza focale: 15.84 - 17.44 mm, Rapporto di Zoom: 1.1:1. Formato video analogico: NTSC, PAL, SECAM, Formato del segnale digitale: EDTV, HDTV, SDTV. Tipo interfaccia seriale: RS-232, Tipo di connettore HDMI: Taglia piena, Connettore USB: USB tipo A



Projector		Ports & interfaces	
Supported aspect ratios Smart projector * Screen size compatibility * Projection distance Projector brightness * Projection technology * Projector native resolution * Contrast ratio (typical) * Native aspect ratio * Number of colours Uniformity Keystone correction, horizontal Keystone correction, vertical Horizontal synchronization (min) Horizontal synchronization (max)	4:3, 16:9 X 762 - 7620 mm (30 - 300") 1 - 10 m 4000 ANSI lumens DLP UHD 4K (3840x2160) 10000:1 16:9 1.07 billion colours 75% -30 - 30° -30 - 30° 15 kHz 135 kHz	S/PDIF out port HDMI ports quantity * USB connector type Component video (YPbPr/YCbCr) in * DVI port *	✓ 2 USB Type-A 1 ×
		Network	
		Smart TV * Ethernet LAN * Wi-Fi * Bluetooth	× × ×
		Features	•
		Noise level (economic mode) Projection modes	26 dB Ceiling, Front, Rear Mac PC Google Chrome PC Windows
Light source		Compatible operating systems	PC
Light source type * Service life of light source * Service life of light source (economic mode) Lamp power Lamps quantity	Lamp 5000 h 12000 h 250 W 1 lamp(s)	Multimedia Built-in speaker(s) * RMS rated power Number of built-in speakers	7 10 W 1
Lens system	1 ιαπρ(3)	Design	Presentation
Focus * Focal length range Zoom ratio Digital zoom Optical zoom	Manual 15.84 - 17.44 mm 1.1:1 2x 1.1x	Market positioning * Product type * Product colour * Placement Cable lock slot Cable lock slot type	Standard throw projector White Ceiling Kensington
Offset	132%	Display	
Video	NITCO DAL CECAM	Built-in display *	×
Analog signal format system * Digital signal format system Full HD *	NTSC, PAL, SECAM EDTV, HDTV, SDTV ✓	Power Power source * Power consumption (typical) *	AC 310 W
Ports & interfaces		Power consumption (standby) *	0.5 W
HDMI connector type	Full-size	AC input voltage	120 - 230 V
HDMI version USB 2.0 ports quantity	2.0 1	Operational conditions	
Audio (L/R) in *	1	Operating temperature (T-T)	0 - 40 °C

Ports & interfaces		Operational conditions	
Audio (L/R) out Serial interface type * VGA (D-Sub) ports quantity *	1 RS-232 1	Operating relative humidity (H-H)	0 - 80%
		Weight & dimensions	
		Width	313 mm
		Depth	240 mm
		Height	113.7 mm
		Weight *	3.1 kg
		Packaging content	
		Remote control included *	✓
		Carrying case	✓
		AC adapter included	✓



4711121471780

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.