

## StarTech.com Server per dispositivi Seriali a Ethernet IP a 2 porte - RS232 - Montabile e in Metallo

**Marchio :** StarTech.com

**Codice prodotto:** NETRS2322P

**Nome del prodotto :** Server per dispositivi Seriali a Ethernet IP a 2 porte - RS232 - Montabile e in Metallo



StarTech.com Serveur de périphériques à 2 ports série RS232 vers IP Ethernet - Métallique et montable - Convertisseur RS232 sur IP

StarTech.com Server per dispositivi Seriali a Ethernet IP a 2 porte - RS232 - Montabile e in Metallo. Tecnologia di cablaggio: 10/100Base-T(X). Tipologia alimentazione: AC, Voltaggio di ingresso: 100 - 240 V, Voltaggio di uscita: 12 V. Protocolli di rete supportati: ICMP, IP, TCP, UDP, DHCP, BOOTP, Telnet. Indicatori LED: Attività, LAN, Collegamento, status. Sistema operativo Windows supportato: Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64,...., Sistemi operativi server supportati: Windows Server 2008 R2, Windows Server 2012



Dettagli tecnici		Protocolli	
Porte seriali *	2	Protocolli di rete supportati	ICMP, IP, TCP, UDP, DHCP, BOOTP, Telnet
Tipo interfaccia seriale	RS-232		
Velocità trasferimento Ethernet LAN	10,100 Mbit/s		
Protezione da Scarica elettrostatica (ESD)	15 kV		
Standard di rete	IEEE 802.3, IEEE 802.3u		
Baud rate	460,8 Kbit/s		
Auto MDI/MDI-X	✓		
Bit dei dati	7, 8		
Tipo di controllo di flusso	No, RTS/CTS, XON/XOFF		
Parity bit	Even, Mark, Dispari, Spazio		
Gestione da remoto	✓		
Protezione (aria) da scariche elettrostatiche (ESD)	15 kV		
Protezione (contatto) da scariche elettrostatiche (ESD)	8 kV		
Certificati di conformità	RoHS		
Certificazione	CE, FCC		
Connettività		Indicazione	
Quantità porte Ethernet LAN (RJ-45)	1	Indicatori LED	Attività, LAN, Collegamento, status
Tecnologia di cablaggio	10/100Base-T(X)		
Gestione energetica			
Tipologia alimentazione	AC		
Voltaggio di ingresso	100 - 240 V		
Voltaggio di uscita	12 V		
Corrente d'uscita	3 A		
Tipi di prese compatibili	AU, EU, UK, US		
Corrente d'ingresso	1.5 A		

## Software

Sistema operativo Windows supportato	Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64
Sistemi operativi server supportati	Windows Server 2008 R2, Windows Server 2012

## Dimensioni e peso

Peso	320 g
Dimensioni (LxPxA)	81 x 112 x 23 mm
Larghezza imballo	150 mm
Altezza imballo	53 mm
Peso dell'imballo	685 g

## Condizioni ambientali

Intervallo temperatura di funzionamento	0 - 85 °C
Intervallo di temperatura	-45 - 130 °C
Range di umidità di funzionamento	20 - 80%

## Design

Colore del prodotto	Nero
Materiale della scocca	Acciaio

## Contenuto dell'imballo

Guida utente	✓
Adattatore AC/DC	✓

## Sostenibilità

Certificati di sostenibilità	RoHS
------------------------------	------



0065030864145



065030864145

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.