

ZYXEL

## Zyxel NR7101 Router di rete cellulare

**Marchio :** Zyxel

**Codice prodotto:** NR7101-EU01V1F

**Nome del prodotto :** NR7101

Zyxel NR7101. Tipo di dispositivo: Router di rete cellulare, Colore del prodotto: Bianco, Montaggio: Montaggio a muro. Tipo di interfaccia LAN Ethernet: Gigabit Ethernet, Standard di rete: IEEE 802.3af, IEEE 802.3at. Standard Wi-Fi: 802.11b, 802.11g, Wi-Fi 4 (802.11n), Velocità trasferimento dati WLAN: 300 Mbit/s, Frequenza Wi-Fi: 2,4 GHz. Rete dati: 4G, 5G, LTE, Standard 4G: LTE-TDD & LTE-FDD. Algoritmi di sicurezza supportati: SSH, Supporto VPN: Virtual Private Network (VPN) pass-through



Design		Prestazione	
Tipo di dispositivo *	Router di rete cellulare	Sistema operativo mobile supportato	Android, iOS
Colore del prodotto *	Bianco	Certificazione	CE, WEEE, RoHS, HSF
Montaggio	Montaggio a muro	<b>Caratteristiche di gestione</b>	
Adatto per uso esterno	✓	Gestione web-based	✓
Tasto reset	✓	Protocolli di gestione	APN, PIN/PUK, MQTT
Indicatori LED	✓	<b>Antenna</b>	
<b>Caratteristiche Ethernet LAN</b>		Tipo di antenna	Interno
Collegamento ethernet LAN *	✓	Qualità dell'antenna	6
Tipo di interfaccia LAN Ethernet	Gigabit Ethernet	Livello di guadagno dell'antenna (max)	10 dBi
Standard di rete	IEEE 802.3af, IEEE 802.3at	<b>Gestione energetica</b>	
Server DHCP	✓	Tipologia alimentazione *	PoE
<b>Caratteristiche Wireless LAN</b>		Consumi	16 W
Wi-Fi *	✓	<b>Condizioni ambientali</b>	
Standard Wi-Fi	802.11b, 802.11g, Wi-Fi 4 (802.11n)	Intervallo temperatura di funzionamento	-40 - 60 °C
Velocità trasferimento dati WLAN	300 Mbit/s	Intervallo di temperatura	-40 - 65 °C
Frequenza Wi-Fi	2,4 GHz	Range di umidità di funzionamento	5 - 95%
<b>Reti mobili</b>		Umidità	5 - 95%
Rete dati *	4G, 5G, LTE	<b>Dimensioni e peso</b>	
Standard 4G	LTE-TDD & LTE-FDD	Larghezza	255 mm
Numero di SIM card	2	Profondità	256 mm
<b>Connettività</b>		Altezza	58 mm
Quantità porte Ethernet LAN (RJ-45)	1	Peso	1,14 kg
Porta USB	✗	<b>Dati su imballaggio</b>	
<b>Sicurezza</b>		Cavi inclusi	LAN (RJ-45)
Algoritmi di sicurezza supportati	SSH	Larghezza imballo	280 mm
Firewall	✓	Profondità imballo	420 mm
Filtraggio per indirizzo IP	✓	Altezza imballo	108 mm
Filtraggio URL	✓	Peso dell'imballo	2,82 kg
Supporto DMZ	✓		
Port forwarding	✓		

Sicurezza		Dati logistici	
-----------	--	----------------	--

Supporto VPN	Virtual Private Network (VPN) pass-through	Codice del Sistema Armonizzato (SA)	85176990
--------------	--	-------------------------------------	----------



4718937612925

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-APR-2024. Prints or copies of Information are only valid on the printed Publication date