

Acer TravelMate P4 P459-M-79V8 Intel® Core™ i7 i7-6500U Computer portatile 39,6 cm (15.6") HD 4 GB DDR4-SDRAM 500 GB HDD Wi-Fi 5 (802.11ac) Windows 7 Professional Nero

Marchio : AcerFamiglia del prodotto:Codice prodotto:TravelMateNX.VDVET.002

Nome del prodotto: P459-

M-79V8

Acer TravelMate P4 P459-M-79V8. Tipo di prodotto: Computer portatile, Fattore di forma: Clamshell. Famiglia processore: Intel® Core™ i7, Modello del processore: i7-6500U, Frequenza del processore: 2,5 GHz. Dimensioni diagonale schermo: 39,6 cm (15.6"), Tipologia HD: HD, Risoluzione del display: 1366 x 768 Pixel. RAM installata: 4 GB, Tipo di RAM: DDR4-SDRAM. Capacità totale di archiviazione: 500 GB, Supporto di memoria: HDD. Modello scheda grafica integrata: Intel® HD Graphics 520. Sistema operativo incluso: Windows 7 Professional. Colore del prodotto: Nero





| Design | | Keyboard | |
|--|---------------------------------|---|------------------------|
| Product type * | Laptop | Pointing device | Touchpad |
| Product colour * | Black | Numeric keypad * | ✓ |
| Form factor * | Clamshell | Windows keys | 1 |
| Display | | Software | |
| Display diagonal * | 39.6 cm (15.6") | Operating system architecture | 64-bit |
| Display resolution * | 1366 x 768 pixels | Operating system installed * | Windows 7 Professional |
| Touchscreen * | × | Processor special features | |
| HD type | HD | • | |
| LED backlight | ✓ | Intel® Wireless Display (Intel® WiDi) | ✓ |
| Native aspect ratio | 16:9 | Intel® My WiFi Technology (Intel® | √ |
| Processor | | MWT) | • |
| Processor manufacturer * | Intel | Intel® Smart Response Technology | ✓ |
| Processor family * | Intel® Core™ i7 | Intel® Identity Protection Technology (Intel® IPT) | ✓ |
| Processor generation | 6th gen Intel® Core™ i7 | Intel® Hyper Threading Technology | J |
| Processor model * | i7-6500U | (Intel® HT Technology) | • |
| Processor cores | 2 | Intel® Turbo Boost Technology | 2.0 |
| Processor threads | 4 | Intel® Small Business Advantage (Intel® SBA) Enhanced Intel SpeedStep Technology | <i>'</i> |
| Processor boost frequency | 3.1 GHz | | |
| Processor frequency * | 2.5 GHz | | |
| System bus rate | 4 GT/s | Intel® Clear Video HD Technology | |
| Processor cache | 4 MB | (Intel® CVT HD) | 1 |
| Processor cache type | Smart Cache | Intel Clear Video Technology | ✓ |
| Processor socket | LGA 1356 (Socket B2) | Intel® InTru™ 3D Technology | ✓ |
| Processor lithography Processor operating modes | 14 nm 64-bit | Intel® Insider™ | 1 |
| Processor operating modes Processor series | ทราย Core i7-6500 Mobile series | Intel® Quick Sync Video Technology | · • |
| Processor codename | Skylake | Intel Flex Memory Access | · |
| Bus type | OPI | , | |
| Stepping | D1 | Intel® AES New Instructions (Intel® AES-NI) | ✓ |
| Thermal Design Power (TDP) | 15 W | Intel Trusted Execution Technology | × |
| Configurable TDP-up frequency | 2.6 GHz | Intel Enhanced Halt State | ·· |
| Configurable TDP-up | 25 W | inter Enhanced Hair State | • |
| 3 · · · · · · · · · · · · · · · · · · · | | | |

| Drococcor | | Drogogov granini factore | |
|---|-------------------------------------|--|----------------------------|
| Processor | 7.5.11 | Processor special features | |
| Configurable TDP-down Configurable TDP-down frequency | 7.5 W 0.8 GHz | Intel VT-x with Extended Page Tables (EPT) | ✓ |
| Tjunction | 100 °C | Intel® Secure Key | ✓ |
| Maximum number of PCI Express lanes | 12 | Intel TSX-NI | X |
| PCI Express slots version | 3.0 | Intel Stable Image Platform Program (SIPP) | × |
| PCI Express configurations | 1x4, 4x1 | Intel® OS Guard | ✓ |
| ECC supported by processor | X | Intel Software Guard Extensions (Intel SGX) | ✓ |
| Memory | | Intel® Clear Video Technology for | |
| Internal memory * Internal memory type | 4 GB DDR4-SDRAM | Mobile Internet Devices (Intel CVT for MID) | ✓ |
| Maximum internal memory * | 20 GB | Intel 64 | ✓ |
| Storage | | Execute Disable Bit | ✓ |
| Total storage capacity * | 500 GB | Idle States | ✓ |
| Storage media * | HDD | Thermal Monitoring Technologies | ✓ |
| Number of HDDs installed | 1 | Processor package size | 42 X 24 mm |
| HDD capacity | 500 GB | Supported instruction sets | SSE4.1, SSE4.2, AVX 2.0 |
| HDD interface | SATA | Processor code | SR2EZ |
| HDD speed | 5400 RPM | CPU configuration (max) | 1 |
| Optical drive type * | X | Embedded options available | × |
| Card reader integrated | ✓ | Graphics & IMC lithography | 14 nm |
| Compatible memory cards | SD | Intel Virtualization Technology for Directed I/O (VT-d) | ✓ |
| Graphics | | Intel Identity Protection Technology version | 1.00 |
| Discrete graphics card model * On-board graphics card * | Not available | Intel Smart Response Technology | 1.00 |
| | × | version | 1.00 |
| Discrete graphics card * On-board graphics card family | Intel® HD Graphics | Intel Stable Image Platform Program (SIPP) version | 0.00 |
| On-board graphics card model * | Intel® HD Graphics 520 | Intel Secure Key Technology version | 1.00 |
| On-board graphics card base frequency | 300 MHz | Intel Small Business Advantage (SBA) version | 1.00 |
| On-board graphics card dynamic frequency (max) | 1050 MHz | Intel TSX-NI version Intel Virtualization Technology (VT- | 1.00 |
| Maximum on-board graphics card memory | 1.74 GB | x) Processor ARK ID | ✓ 88194 |
| On-board graphics card DirectX version | 12.0 | Conflict-Free processor | √ |
| On-board graphics card OpenGL | 4.4 | Battery | |
| version | | Battery technology | Lithium-lon (Li-lon) |
| On-board graphics card ID | 1916 | Number of battery cells | 4 |
| Audio | | Battery capacity | 3220 mAh |
| Built-in microphone | ✓ | Battery capacity * | 48 Wh |
| Camera | | Battery life (max) | 8 h |
| Front camera | ✓ | Power | |
| Network | | AC adapter power | 45 W |
| Wi-Fi | / | DC-in jack | ✓ |
| Top Wi-Fi standard * | Wi-Fi 5 (802.11ac) | Weight & dimensions | 270 5 mm |
| Wi-Fi standards | 802.11a, Wi-Fi 5 (802.11ac), | Width Depth | 379.5 mm 254 mm |
| | 802.11b, 802.11g, Wi-Fi 4 (802.11n) | Height | 22.1 mm |
| Ethernet LAN | / | Weight * | 2.1 kg |
| Bluetooth | ✓ | Packaging content | |
| Ports & interfaces | | | 1 |
| USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A | 3 | AC adapter included * Cables included | AC |
| ports quantity * | 1 | Other features | |
| USB 3.2 Gen 2 (3.1 Gen 2) Type-C | 1 | Intel segment tagging | Enterprise, Small Business |
| ports quantity Ethernet LAN (RJ-45) ports | 1 | 3 33 3 | • |
| HDMI ports quantity * | 1 | | |
| porce quartery | - | | |

Ports & interfaces

DVI port

VGA (D-Sub) ports quantity

Combo headphone/mic port

✓

Docking connector

×

