

Brother DCP-J1050DWRE1 Ad inchiostro A4 1200 x 6000 DPI 17 ppm Wi-Fi

Marchio : Brother

Codice prodotto: DCP-J1050DW

Nome del prodotto : DCP-J1050DWRE1



- Stampa fronte-retro auto, copia e scansione
 - Connettività wireless
 - Velocità di stampa fino a 17 ipm mono e 9,5 a colori
 - Cassetto carta da 150 fogli
 - Stampa direttamente su carta fotografica
 - Display LCD da 4,5 cm e pannello di controllo
- Stampante multifunzione a colori a getto d'inchiostro intelligente, elegante e compatta con connettività wireless e mobile.

Brother DCP-J1050DWRE1 Ad inchiostro A4 1200 x 6000 DPI 17 ppm Wi-Fi:

Il DCP-J1050DW è un dispositivo elegante e compatto perfetto per l'uso domestico. Grazie alle funzionalità di stampa, copia e scansione, è dotato di una funzione che consente a tutti i componenti della casa di lavorare. Stampa a colori vivaci da qualsiasi punto della casa grazie alla connettività wireless o mobile e naviga facilmente sul dispositivo tramite il display LCD da 4,5 cm.

| | | | |
|---|--------------------------|---------------------------------|--|
| Printing | | Paper handling | |
| Duplex printing mode | Auto | Paper tray media weight | 64 - 220 g/m ² |
| Print technology * | Inkjet | Multi-Purpose Tray media weight | 64 - 300 g/m ² |
| Printing * | Colour printing | Ports & interfaces | |
| Duplex printing * | ✓ | Direct printing * | ✓ |
| Maximum resolution * | 1200 x 6000 DPI | USB port | ✓ |
| Print speed (black, normal quality, A4/US Letter) * | 17 ppm | USB connector | USB Type-A |
| Print speed (colour, normal quality, A4/US Letter) | 9.5 ppm | USB 2.0 ports quantity | 1 |
| Time to first page (black, normal) | 7 s | Network | |
| Copying | | Wi-Fi * | ✓ |
| Copying * | Colour copying | Ethernet LAN * | ✗ |
| Maximum copy resolution * | 1200 x 1200 DPI | Ethernet LAN data rates | 10,100 Mbit/s |
| Maximum copy size | A4 | Wi-Fi standards | 802.11b, 802.11g, Wi-Fi 4 (802.11n) |
| Copy speed (black, normal quality, A4) | 13 cpm | Bluetooth | ✗ |
| Copy speed (colour, normal quality, A4) | 10.5 cpm | Security algorithms | 64-bit WEP, 128-bit WEP, AES, EAP-FAST, EAP-TLS, EAP-TTLS, HTTPS, IPPS, PEAP, SSID, SSL/TLS, TKIP, WPA-PSK, WPA2-PSK |
| Time to first copy (black, normal) | 10.5 s | Mobile printing technologies | Apple AirPrint, Brother iPrint & Scan, Google Cloud Print |
| Time to first copy (colour, normal) | 22.5 s | Performance | |
| Scanning | | Internal memory * | 128 MB |
| Duplex scanning * | ✗ | Sound pressure level (printing) | 53.5 dB |
| Scanning * | Colour scanning | Design | |
| Optical scanning resolution * | 1200 x 2400 DPI | Product colour * | Black |
| Optical scanning resolution (ADF) | 1200 x 600 DPI | Market positioning * | Home & office |
| Maximum scan area | 213.9 x 295 mm | Built-in display * | ✓ |
| Scanner type * | Flatbed scanner | Display | LCD |
| Scan technology | CIS | | |
| Scan to | E-mail, File, Image, OCR | | |

| | | | |
|------------------------------------|---|-------------------------------------|---|
| Scanning | | Design | |
| Scan speed (colour) | 30 ppm | Display diagonal | 6.78 cm (2.67") |
| Scan speed (black) | 17 ppm | Control type | Buttons, Touch |
| Input colour depth | 30 bit | Colour display | ✓ |
| Output colour depth | 24 bit | Power | |
| Input greyscale depth | 10 bit | Power consumption (PowerSave) | 0.7 W |
| Output greyscale depth | 8 bit | Power consumption (printing) | 13 W |
| Fax | | Power consumption (ready) | 3 W |
| Duplex faxing | ✗ | Power consumption (off) | 0.2 W |
| Faxing * | ✗ | AC input voltage | 220 - 240 V |
| Modem speed | 14.4 Kbit/s | System requirements | |
| Fax memory | 170 pages | Windows operating systems supported | Windows 10, Windows 11, Windows 8 |
| Speed dialling | ✓ | Mac operating systems supported | Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur |
| Features | | Linux operating systems supported | ✓ |
| Duplex functions * | Print | Server operating systems supported | Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019 |
| Number of print cartridges * | 4 | Operational conditions | |
| Printing colours * | Black, Cyan, Magenta, Yellow | Operating relative humidity (H-H) | 10 - 30% |
| Input & output capacity | | Sustainability | |
| Total number of input trays * | 1 | Sustainability certificates | Blue Angel |
| Total input capacity * | 150 sheets | Weight & dimensions | |
| Total output capacity * | 50 sheets | Width | 400 mm |
| Paper tray 1 input capacity | 150 sheets | Depth | 343 mm |
| Multi-Purpose tray | ✓ | Height | 151 mm |
| Multi-Purpose tray input capacity | 99 sheets | Weight | 6.9 kg |
| Auto document feeder (ADF) | ✓ | Packaging data | |
| Manual feeder | ✓ | Package width | 477 mm |
| Paper handling | | Package depth | 228 mm |
| Maximum ISO A-series paper size * | A4 | Package height | 457 mm |
| Paper tray media types * | Glossy paper, Plain paper, Recycled paper | Package weight | 8.6 kg |
| ISO A-series sizes (A0...A9) * | A4, A5, A6 | Packaging content | |
| ISO C-series sizes (C0...C9) | C5 | Cartridge(s) included | ✓ |
| Non-ISO print media sizes | Index card | Cables included | AC |
| Envelopes sizes | C5, Com-10, DL, Monarch | Power cord included | ✓ |
| Photo paper sizes (imperial) | 3.5x5,4x6,5x7,5x8 | Warranty card | ✓ |
| | | Quick installation guide | ✓ |
| | | Bundled software | NewSoft Presto! PageManager 9 Brother iPrint & Scan, ScanSoft Paperport 14 SE. |
| | | Logistics data | |
| | | Harmonized System (HS) code | 84433100 |



4977766813396



4002352013680

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.