




## AOC Q27U3CV Monitor PC 68,6 cm (27") 2560 x 1440 Pixel 4K Ultra HD LCD Nero

**Marchio :** AOC

**Codice prodotto:** Q27U3CV

**Nome del prodotto :** Q27U3CV

Screen size (inch) 27, Panel resolution 2560x1440, Max Refresh rate 75 Hz, Panel type IPS QD, USB-C connectivity 1 x USB-C (DP1.2 Alt Mode, USB3.2 Gen 1 - upstream, 5Gbps, w/ HDR, PD 96W Smart Power, HDR, Adaptive Sync) 1 x USB-C (USB3.2 Gen 1 - downstream, 5Gbps, PD 15W), HDMI HDMI 1.4 x 1, DisplayPort DisplayPort 1.2 x 1, Sync technology (VRR) Adaptive Sync AOC Q27U3CV. Dimensioni diagonale schermo: 68,6 cm (27"), Risoluzione del display: 2560 x 1440 Pixel, Tipologia HD: 4K Ultra HD, Tecnologia display: LCD, Tempo di risposta: 4 ms, Rapporto d'aspetto nativo: 16:9. Altoparlanti incorporati. Hub USB integrato, Versione dell'hub USB: 3.2 Gen 1 (3.1 Gen 1). Montaggio standard VESA, Regolazione altezza. Colore del prodotto: Nero



Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	Headphone outputs	1
Display resolution *	2560 x 1440 pixels	HDCP	✓
HD type *	4K Ultra HD	HDCP version	2.2
Native aspect ratio *	16:9	AC (power) in	✓
Display technology *	LCD	Ergonomics	
Panel type *	IPS Quantum Dot	VESA mounting *	✓
Touchscreen *	✗	Panel mounting interface	100 x 100 mm
Display brightness (peak)	420 cd/m <sup>2</sup>	Cable lock slot *	✓
Response time *	4 ms	Cable lock slot type	Kensington
Screen shape *	Flat	Height adjustment *	✓
Maximum refresh rate *	75 Hz	Height adjustment	15 cm
Pixel pitch	0.2331 x 0.2331 mm	Pivot	✓
Horizontal scan range	30 - 140 kHz	Pivot angle	-90 - 90°
Vertical scan range	48 - 75 Hz	Swivelling	✓
Viewable size, horizontal	59.7 cm	Swivel angle range	-15 - 15°
Viewable size, vertical	33.6 cm	Tilt adjustment	✓
Display diagonal (metric)	68.5 cm	Tilt angle range	-6.5 - 23°
High Dynamic Range (HDR) supported	✓	Plug and Play	✓
High Dynamic Range (HDR) technology	High Dynamic Range (HDR) 400	LED indicators	✓
DDC/CI	✓	Power	
Colour gamut standard	DCI-P3	Power consumption (typical) *	27 W
Colour gamut	98%	Power consumption (standby) *	0.3 W
sRGB coverage (typical)	144.5%	Power consumption (max)	185 W
NTSC coverage (typical)	119.3%	AC input voltage	100 - 240 V
Adobe RGB coverage	117.3%	AC input frequency	50/60 Hz
BT.2020 coverage	79.4%	Input current	3 A
Performance		Power supply type	Internal
Fast charging	✓	Operational conditions	
VESA Adaptive Sync support	✓	Operating temperature (T-T)	0 - 40 °C

<b>Performance</b>		<b>Operational conditions</b>	
Flicker-free technology	✓	Storage temperature (T-T)	-25 - 55 °C
<b>Multimedia</b>		Operating relative humidity (H-H)	10 - 85%
Number of speakers	2	Storage relative humidity (H-H)	5 - 93%
RMS rated power	6 W	Operating altitude	0 - 5000 m
Built-in speaker(s) *	✓	Non-operating altitude	0 - 12192 m
Built-in camera *	✗	<b>Weight &amp; dimensions</b>	
<b>Design</b>		Width (with stand)	613.8 mm
Market positioning *	Graphics design	Depth (with stand)	238.4 mm
Product colour *	Black	Height (with stand)	547.7 mm
Frameless design	✓	Weight (with stand)	6.5 kg
Detachable stand	✓	Width (without stand)	613.8 mm
Feet colour	Grey	Depth (without stand)	52.5 mm
<b>Ports &amp; interfaces</b>		Height (without stand)	365 mm
Built-in USB hub *	✓	Weight (without stand)	4.8 kg
USB hub version	3.2 Gen 1 (3.1 Gen 1)	<b>Packaging data</b>	
USB upstream port type	USB Type-C	Package width	825 mm
Number of upstream ports	1	Package depth	162 mm
USB Type-A downstream ports quantity	4	Package height	480 mm
USB Type-C downstream ports quantity	1	Package weight	9.99 kg
USB Type-C DisplayPort Alternate Mode	✓	Package type	Box
USB Power Delivery (USB PD)	✓	<b>Packaging content</b>	
USB Power Delivery up to	96 W	Stand included	✓
HDMI *	✓	Cables included	AC, DisplayPort, HDMI, USB
HDMI ports quantity	1	Quick start guide	✓
HDMI version	1.4	DisplayPort cable length	1.8 m
DisplayPorts quantity	2	HDMI cable length	1.8 m
DisplayPort version	1.2	<b>Sustainability</b>	
Headphone out *	✓	Sustainability compliance	✓
		Sustainability certificates	EPEAT, TCO
		Doesn't contain	Halogen
		<b>Other features</b>	
		Compatible operating systems	Windows 8.1/10/11



4038986182065

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-DEC-2024. Prints or copies of Information are only valid on the printed Publication date