

## D-Link R15 router wireless Gigabit Ethernet Dual-band (2.4 GHz/5 GHz) Bianco

Marchio : D-Link

Codice prodotto: R15

Nome del prodotto : R15

D-Link R15. Tipo di connessione WAN: RJ-45. Banda Wi-Fi: Dual-band (2.4 GHz/5 GHz), Wi-Fi standard: Wi-Fi 6 (802.11ax), Standard Wi-Fi: 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax). Tipo di interfaccia LAN Ethernet: Gigabit Ethernet, Standard di rete: IEEE 802.11a, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11h, IEEE 802.11k, IEEE 802.11n,.... Algoritmi di sicurezza supportati: WPA2, WPA3, WPS. Tipo di prodotto: Router da tavolo, Colore del prodotto: Bianco, Indicatori LED: LAN, Potenza



<b>Connessione WAN</b>		<b>Sicurezza</b>	
WAN Ethernet *	✓	Filtraggio per indirizzo IP	✓
WAN DSL *	✗	Supporto DMZ	✓
Slot per scheda SIM *	✗	<b>Design</b>	
Modem USB compatibile con 3G/4G *	✗	Colore del prodotto	Bianco
Tipo di connessione WAN	RJ-45	Indicatori LED	LAN, Potenza
<b>Caratteristiche Wireless LAN</b>		Tipo di prodotto *	Router da tavolo
Banda Wi-Fi *	Dual-band (2.4 GHz/5 GHz)	<b>Contenuto dell'imballo</b>	
Wi-Fi standard *	Wi-Fi 6 (802.11ax)	Cavi inclusi	LAN (RJ-45)
Standard Wi-Fi	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	Adattatore AC/DC	✓
Frequenza di trasferimento dati WLAN (prima banda)	300 Mbit/s	Guida rapida	✓
Frequenza di trasferimento dati WLAN (seconda banda)	1201 Mbit/s	<b>Sostenibilità</b>	
Modulazione	1024-QAM	Conformità alla sostenibilità	✓
<b>Collegamento in rete</b>		Certificati di sostenibilità	CE
Collegamento ethernet LAN *	✓	<b>Antenna</b>	
Tipo di interfaccia LAN Ethernet *	Gigabit Ethernet	Design dell'antenna *	Esterno
Standard di rete	IEEE 802.11a, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11h, IEEE 802.11k, IEEE 802.11n, IEEE 802.11v, IEEE 802.3ab, IEEE 802.3u	Qualità dell'antenna	4
<b>Connettività</b>		<b>Caratteristiche</b>	
Quantità porte Ethernet LAN (RJ-45) *	3	Funziona con Amazon Alexa	✓
Porta USB *	✗	Funziona con Google Assistant	✓
Jack DC-in	✓	Certificazione	FCC, IC
		<b>Condizioni ambientali</b>	
		Intervallo temperatura di funzionamento	0 - 40 °C
		Intervallo di temperatura	-20 - 65 °C
		Range di umidità di funzionamento	10 - 90%
		Umidità	5 - 95%

Caratteristiche di gestione		Requisiti di sistema	
Gestione web-based	✓	Browser supportati	Internet Explorer 10/Firefox 28.0/Chrome 28.0/Safari 6.0 Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64
Supporto qualità del servizio (QoS)	✓		
Tasto reset	✓		
Sicurezza WPS Push Button	✓		
Tecnologia Intelligent Mesh	✓		
Tecnologia MU-MIMO	✓	Sistema operativo Windows supportato	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey
<b>Sicurezza</b>			
Algoritmi di sicurezza supportati	WPA2, WPA3, WPS		
Filtraggio stateful dei pacchetti (SPI)	✓		
Prevenzione attacco DoS	✓		
Filtro	✓	Sistema operativo mobile supportato	Android, iOS
Filtri MAC address	✓		
		Compatibilità sistema operativo Mac	
<b>Dimensioni e peso</b>			
Larghezza			195 mm
Profondità			139 mm
Altezza			55 mm
Peso			300 g



0790069459573




790069459573



0790069459535



790069459535



0790069459603



790069459603

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.