



APC SRTL1500RMXLI-NC gruppo di continuità (UPS) Doppia conversione (online) 1,5 kVA 1350 W 8 presa(e) AC

Marchio : APC

Codice prodotto: SRTL1500RMXLI-NC

Nome del prodotto : SRTL1500RMXLI-NC



APC SRTL1500RMXLI-NC. Topologia UPS: Doppia conversione (online), Potenza in uscita: 1,5 kVA, Potenza in uscita: 1350 W. Tipo di uscita AC: Accoppiatore C13, Presa di corrente: Accoppiatore C14, Quantità prese AC: 8 presa(e) AC. Tecnologia batteria: Ioni di Litio, Durata della batteria (max): 10 anno/i, Tempo di ricarica: 6 h. Fattore di forma: Montaggio a rack, Colore del prodotto: Nero, Grigio, Capacità di rack: 3U. Larghezza: 432 mm, Profondità: 590 mm, Altezza: 128 mm

| Features | | Battery | |
|---------------------------------|----------------------------|------------------------------------|-------------------|
| UPS topology * | Double-conversion (Online) | Hot-swap battery | ✓ |
| Output power capacity * | 1.5 kVA | Automatic battery test | ✓ |
| Output power * | 1350 W | Cold start | ✓ |
| Waveform * | Sine | | |
| Input operation voltage (min) * | 220 V | | |
| Input operation voltage (max) * | 240 V | | |
| Input frequency * | 40/70 Hz | | |
| Output operation voltage (min) | 220 V | | |
| Output operation voltage (max) | 240 V | | |
| Output frequency | 50/60 Hz | | |
| Surge energy rating | 340 J | | |
| Crest factor | 3:1 | | |
| Emergency Power Off (EPO) | ✓ | | |
| Noise level | 50 dB | | |
| Surge protection | ✓ | | |
| Audible alarm(s) | ✓ | | |
| Auto-restart | ✓ | | |
| | | | |
| Ports & interfaces | | Design | |
| AC outlet types | C13 coupler | Form factor * | Rackmount |
| Power plug | C14 coupler | Rack capacity | 3U |
| AC outlets quantity | 8 AC outlet(s) | Product colour * | Black, Grey |
| USB port | ✓ | Display type | LCD |
| Serial interface | ✓ | LED indicators | Status |
| Serial interface type | RJ-45 | International Protection (IP) code | IP20 |
| Serial ports quantity | 1 | Certification | CE, EAC, RCM, VDE |
| Ethernet LAN (RJ-45) ports | 1 | | |
| Cabling technology | 10/100Base-T | | |
| SmartSlot | ✓ | | |
| | | | |
| Battery | | Operational conditions | |
| Battery technology | Lithium-Ion (Li-Ion) | Operating temperature (T-T) | 0 - 40 °C |
| Battery life (max) | 10 year(s) | Storage temperature (T-T) | -20 - 50 °C |
| Battery recharge time | 6 h | Operating relative humidity (H-H) | 0 - 95% |
| | | Storage relative humidity (H-H) | 0 - 95% |
| | | Operating altitude | 0 - 3000 m |
| | | Non-operating altitude | 0 - 15000 m |
| | | | |
| | | Technical details | |
| | | Sustainability certificates | Green Premium |
| | | | |
| | | Weight & dimensions | |
| | | Width | 432 mm |
| | | Depth | 590 mm |
| | | Height | 128 mm |
| | | Weight | 25.7 kg |
| | | Package width | 600 mm |
| | | Package depth | 850 mm |
| | | Package height | 445 mm |
| | | Package weight | 37.4 kg |
| | | | |
| | | Logistics data | |
| | | Products per pallet | 6 pc(s) |
| | | Harmonized System (HS) code | 85078000 |
| | | | |
| | | Other features | |
| | | Output voltage | 230 V |



0731304346418



731304346418



8592978108717

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.