



## TP-Link TL-SG1218MP switch di rete Non gestito Gigabit Ethernet (10/100/1000) Supporto Power over Ethernet (PoE) 1U Nero

**Marchio :** TP-Link

**Codice prodotto:** TL-SG1218MP

**Nome del prodotto :** TL-SG1218MP

TP-Link TL-SG1218MP. Tipo interruttore: Non gestito. Tipo di porte RJ-45: Gigabit Ethernet (10/100/1000), Quantità di porte RJ-45: 18. Full duplex. Dimensioni tavola MAC: 8000 voci, Capacità di commutazione: 36 Gbit/s. Standard di rete: IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x. Supporto Power over Ethernet (PoE). Montaggio rack, Fattore di forma: 1U



Management features		Design	
Switch type *	Unmanaged	Number of fans	2 fan(s)
Quality of Service (QoS) support	✓	<b>Power</b>	
Traffic classification	✓	Power source *	AC
<b>Ports &amp; interfaces</b>		Power supply included *	✓
Basic switching RJ-45 Ethernet ports quantity *	18	AC input voltage	100 - 240 V
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	AC input frequency	50 - 60 Hz
Gigabit Ethernet (copper) ports quantity	18	Power consumption (max)	286.64 W
Combo SFP ports quantity	2	<b>Power over Ethernet (PoE)</b>	
<b>Network</b>		Power over Ethernet (PoE) *	✓
Networking standards *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x	Power over Ethernet plus (PoE+) ports quantity	16
10G support *	✗	Power over Ethernet (PoE) power per port	30 W
Cable types supported	Cat3, Cat4, Cat5, Cat5e, Cat6	Total Power over Ethernet (PoE) budget	250 W
Full duplex	✓	<b>Operational conditions</b>	
Half duplex	✓	Operating temperature (T-T)	0 - 50 °C
Flow control support	✓	Storage temperature (T-T)	-40 - 70 °C
Auto MDI/MDI-X	✓	Operating relative humidity (H-H)	10 - 90%
Ethernet LAN data rates	10,100,1000 Mbit/s	Storage relative humidity (H-H)	5 - 90%
Auto-negotiation	✓	Heat dissipation	977.44 BTU/h
MAC address auto-learning supported	✓	<b>Weight &amp; dimensions</b>	
MAC address auto-aging supported	✓	Width	440 mm
<b>Data transmission</b>		Depth	180 mm
Switching capacity *	36 Gbit/s	Height	44 mm
		<b>Packaging content</b>	
		Cables included	AC

Data transmission		Packaging content	
Forwarding rate	26.78 Mpps	Quick start guide	✓
MAC address table *	8000 entries	<b>Packaging data</b>	
Jumbo frames support	✓	Package width	250 mm
Jumbo frames	10000	Package depth	528 mm
Packet buffer memory	4.1 MB	Package height	80 mm
<b>Design</b>		Package weight	3.05 kg
Rack mounting *	✓	<b>Certificates</b>	
Form factor	1U	Certification	CE, FCC, RoHS
Product colour	Black	<b>Logistics data</b>	
Housing material	Metal	Harmonized System (HS) code	85176990
LED indicators	✓		



6935364072162




6935364072155



0840030707247



840030707247



0845973040543



845973040543

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.