



## TP-Link TL-WR850N router wireless Fast Ethernet Banda singola (2.4 GHz) Grigio, Bianco

**Marchio :** TP-Link

**Codice prodotto:** TL-WR850N

**Nome del prodotto :** TL-WR850N

TP-Link TL-WR850N. Banda Wi-Fi: Banda singola (2.4 GHz), Wi-Fi standard: Wi-Fi 4 (802.11n), Intervallo di trasferimento dei dati WLAN (max): 300 Mbit/s. Tipo di interfaccia LAN Ethernet: Fast Ethernet, Velocità trasferimento Ethernet LAN: 10,100 Mbit/s, Tecnologia di cablaggio: 10/100Base-T(X). Algoritmi di sicurezza supportati: 64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK. Protocolli di rete supportati: IPv4, IPv6. Tipo di prodotto: Router da tavolo, Colore del prodotto: Grigio, Bianco, Indicatori LED: LAN, Potenza, WLAN



| Connessione WAN                                    |  | Sicurezza                               |                    |
|--|--|---|--------------------|
| WAN Ethernet *                                     | ✓  | Filtro                                  | ✓                  |
| WAN DSL *  | ✗  | Filtri MAC address                      | ✓                  |
| Slot per scheda SIM *                              | ✗  | Supporto DMZ                            | ✓                  |
| Modem USB compatibile con 3G/4G *                  | ✗  | <b>Protocolli</b>                       |                    |
| <b>Caratteristiche Wireless LAN</b>                |  | Cliente DHCP                            | ✓                  |
| Banda Wi-Fi *                                      | Banda singola (2.4 GHz)                  | Server DHCP                             | ✓                  |
| Wi-Fi standard *                                   | Wi-Fi 4 (802.11n)                        | Universal Plug and Play (UPnP)          | ✓                  |
| Intervallo di trasferimento dei dati WLAN (max) *  | 300 Mbit/s                               | Protocolli di rete supportati           | IPv4, IPv6         |
| Standard Wi-Fi                                     | 802.11b, 802.11g, Wi-Fi 4 (802.11n)      | <b>Design</b>                           |                    |
| Frequenza di trasferimento dati WLAN (prima banda) | 300 Mbit/s                               | Colore del prodotto                     | Grigio, Bianco     |
| <b>Collegamento in rete</b>                        |  | Indicatori LED                          | LAN, Potenza, WLAN |
| Collegamento ethernet LAN *                        | ✓  | Tipo di prodotto *                      | Router da tavolo   |
| Tipo di interfaccia LAN Ethernet *                 | Fast Ethernet                            | <b>Contenuto dell'imballo</b>           |                    |
| Velocità trasferimento Ethernet LAN                | 10,100 Mbit/s                            | Cavi inclusi                            | LAN (RJ-45)        |
| Tecnologia di cablaggio                            | 10/100Base-T(X)                          | Adattatore AC/DC                        | ✓                  |
| Standard di rete                                   | IEEE 802.11b, IEEE 802.11g, IEEE 802.11n | Guida d'installazione rapida            | ✓                  |
| Supporto VPN                                       | PPTP, L2TP, IPSec                        | <b>Antenna</b>                          |                    |
| <b>Reti mobili</b>                                 |  | Design dell'antenna *                   | Esterno            |
| 3G   | ✗  | Qualità dell'antenna                    | 2                  |
| 4G   | ✗  | <b>Caratteristiche</b>                  |                    |
| <b>Connettività</b>                                |  | Certificazione                          | FCC, CE, RoHS      |
| Quantità porte Ethernet LAN (RJ-45) *              | 4  | <b>Gestione energetica</b>              |                    |
| Porta USB *  | ✗  | Tipologia alimentazione *               | dC                 |
| Slot per la scheda di memoria                      | ✗  | Voltaggio di uscita                     | 9 V                |
| Jack DC-in   | ✓  | Corrente d'uscita                       | 0,6 A              |
| <b>Caratteristiche di gestione</b>                 |  | <b>Condizioni ambientali</b>            |                    |
| Gestione web-based                                 | ✓  | Intervallo temperatura di funzionamento | 0 - 40 °C          |
|  |  | Intervallo di temperatura               | -40 - 70 °C        |
|  |  | Range di umidità di funzionamento       | 10 - 90%           |

| Caratteristiche di gestione         |   | Condizioni ambientali  |         |
|-------------------------------------|---|--|---------|
| Supporto qualità del servizio (QoS) | ✓   | Umidità  | 5 - 90% |
| Tasto reset                         | ✓   |  |         |
| Sicurezza WPS Push Button           | ✓   |  |         |
| Sicurezza                           |   | Requisiti di sistema   |         |
| Algoritmi di sicurezza supportati   | 64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK | Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 2000, Windows 2000 Professional, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows Vista x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64 |         |
| Firewall                            | ✓   |  |         |
| Prevenzione attacco DoS             | ✓   |  |         |
|                                     |   | Sistema operativo Windows supportato   |         |
|                                     |   | Sistema operativo Linux supportato   | ✓       |
|                                     |   | Compatibilità Mac  | ✓       |
| Dimensioni e peso                   |   |  |         |
| Larghezza                           |   |  | 182 mm  |
| Profondità                          |   |  | 128 mm  |
| Altezza                             |   |  | 35 mm   |



6935364084097

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 02-MAR-2024. Prints or copies of Information are only valid on the printed Publication date