



AOC U32P2CA Monitor PC 80 cm (31.5") 3840 x 2160 Pixel 4K Ultra HD LED Nero



Marchio : AOC

Codice prodotto: U32P2CA

Nome del prodotto : U32P2CA

Screen size (inch) 31.5, Panel resolution 3840x2160, Refresh rate 60 Hz, Panel type VA, USB-C connectivity USB-C 3.2 x 1 (DP alt mode, upstream, power delivery up to 65 W), HDMI HDMI 2.0 x 2, Display Port DisplayPort 1.2 x 1, D-SUB (VGA) 0x, DVI 0x, Sync technology (VRR) Adaptive Sync

AOC U32P2CA Monitor PC 80 cm (31.5") 3840 x 2160 Pixel 4K Ultra HD LED Nero:


Monitor da 31,5" dedicato alla produttività con risoluzione 4K UHD, USB-C con Power Delivery e Adaptive Sync

L'AOC U32P2CA garantisce produttività, facilità d'uso, versatilità e comfort per lunghe ore davanti allo schermo. È dotato di USB-C con Power Delivery da 65 W, quattro USB 3.2, due porte HDMI e un pannello VA da 31,5" con ampi angoli di visione, Clear Vision e risoluzione 4K UHD. Predisposto per il gaming, questo monitor offre anche un gameplay fluido grazie alla tecnologia Adaptive Sync.



Display		Ports & interfaces	
Display diagonal *	80 cm (31.5")	Built-in KVM switch	✓
Display resolution *	3840 x 2160 pixels	DC-in jack	✓
HD type *	4K Ultra HD	Mobile High-Definition Link (MHL)	✗
Native aspect ratio *	16:9	Ergonomics	
Display technology *	LED	VESA mounting *	✓
Panel type *	VA	Panel mounting interface	100 x 100 mm
Backlight type	W-LED	Cable lock slot *	✓
Touchscreen *	✗	Cable lock slot type	Kensington
Display brightness (typical)	350 cd/m ²	Height adjustment *	✓
Response time *	4 ms	Adjustable height (max)	15 cm
Display surface	Matt	Pivot	✓
Anti-glare screen	✓	Swivelling	✓
Screen shape *	Flat	Swivel angle range	-180 - 180°
Supported graphics resolutions	1920 x 1080 (HD 1080), 2560 x 1440, 3840 x 2160	Tilt adjustment	✓
Supported video modes	1080p, 1440p, 2160p	Tilt angle range	-5 - 21.5°
Aspect ratio	4:3, 16:9	On Screen Display (OSD)	✓
Contrast ratio (typical) *	3000:1	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Italian, Japanese, Korean, Polish, Portuguese, Russian, SER
Contrast ratio (dynamic)	50000000:1	Number of OSD languages	16
Maximum refresh rate *	60 Hz	Power	
Viewing angle, horizontal	178°	Energy efficiency class (SDR) *	G
Viewing angle, vertical	178°	Energy efficiency class (HDR) *	G
Display number of colours *	16.7 million colours	Energy consumption (SDR) per 1000 hours *	39 kWh
Pixel pitch	0.18159 x 0.18159 mm	Energy consumption (HDR) per 1000 hours *	55 kWh
Horizontal scan range	30 - 140 kHz	Power consumption (typical) *	57 W
Vertical scan range	40 - 60 Hz	Power consumption (standby) *	0.5 W
Viewable size, horizontal	69.7 cm	Power consumption (max)	110 W
Viewable size, vertical	39.2 cm	Power consumption (off)	0.3 W
Display diagonal (metric)	80 cm	AC input voltage	100 - 240 V
Surface hardness	3H	AC input frequency	50 - 60 Hz
Colour depth	8 bit		
Colour gamut standard	Adobe RGB		
sRGB coverage (typical)	119%		
Adobe RGB coverage	88%		
Performance			
NVIDIA G-SYNC *	✗		

Performance		Power	
AMD FreeSync *	✗	Energy efficiency scale	A to G
Fast charging	✓	European Product Registry for Energy Labelling (EPREL) code	695310
VESA Adaptive Sync support	✓	External power adapter	✗
Flicker-free technology	✓	Operational conditions	
Low Blue Light technology	✓	Operating temperature (T-T)	0 - 40 °C
Multimedia		Storage temperature (T-T)	-25 - 55 °C
Number of speakers	2	Operating relative humidity (H-H)	10 - 85%
RMS rated power	3 W	Storage relative humidity (H-H)	5 - 93%
Built-in speaker(s) *	✓	Operating altitude	0 - 5000 m
Built-in microphone	✗	Non-operating altitude	0 - 12192 m
Built-in camera *	✗	Weight & dimensions	
Design		Width (with stand)	714.8 mm
Market positioning *	Business	Depth (with stand)	275.1 mm
Product colour *	Black	Weight (with stand)	10.1 kg
Frameless design	✓	Width (without stand)	714.8 mm
Front bezel colour	Black	Depth (without stand)	55.7 mm
Detachable stand	✓	Height (without stand)	425.2 mm
Feet colour	Black	Weight (without stand)	9.8 kg
Ports & interfaces		Packaging data	
Built-in USB hub *	✓	Package width	810 mm
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Package depth	224 mm
Number of USB Type-C upstream ports quantity	1	Package height	538 mm
USB Type-A downstream ports quantity	4	Package weight	12.8 kg
USB Type-C DisplayPort Alternate Mode	✓	Package type	Box
USB Power Delivery (USB PD)	✓	Packaging content	
USB Power Delivery up to	65 W	Stand included	✓
DVI port	✗	Cables included	AC, DisplayPort
HDMI *	✓	DisplayPort cable length	1.8 m
HDMI ports quantity	2	Other features	
HDMI version	2.0	Compatibility	VESA-P2
DisplayPorts quantity	1	Exterior finish type	Textured
DisplayPort version	1.2	Heavy metals free	Hg (mercury)
Headphone out *	✓	Compliance certificates	WEEE
Headphone outputs	1	Light effects	✗
Headphone connectivity	3.5 mm	Certification	ISO
		Logistics data	
		Harmonized System (HS) code	85285210



4038986119832

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 31-DEC-2024. Prints or copies of Information are only valid on the printed Publication date