



## Viewsonic VG Series VG2756-4K Monitor PC 68,6 cm (27") 3840 x 2160 Pixel 4K Ultra HD LED Nero

**Marchio :** Viewsonic

**Famiglia del prodotto:** VG Series

**Codice prodotto:** VG2756-4K

**Nome del prodotto :**  
VG2756-4K



Viewsonic VG Series VG2756-4K. Dimensioni diagonale schermo: 68,6 cm (27"), Risoluzione del display: 3840 x 2160 Pixel, Tipologia HD: 4K Ultra HD, Tecnologia display: LED, Tempo di risposta: 5 ms, Rapporto d'aspetto nativo: 16:9. Altoparlanti incorporati. Montaggio standard VESA, Regolazione altezza. Colore del prodotto: Nero

| Display                                      |                      | Ergonomics  |             |
|--|----------------------|---|-------------|
| Display diagonal *                           | 68.6 cm (27")        | Pivot angle   | 90 - 90°    |
| Display resolution *                         | 3840 x 2160 pixels   | Swivelling  | ✓           |
| HD type *                                    | 4K Ultra HD          | Swivel angle range  | 120 - 120°  |
| Native aspect ratio *                        | 16:9                 | Tilt adjustment   | ✓           |
| Display technology *                         | LED                  | Tilt angle range  | 5 - 40°     |
| Panel type *                                 | IPS                  |   |             |
| Touchscreen *                                | ✗                    |   |             |
| Response time *                              | 5 ms                 |   |             |
| Anti-glare screen                            | ✓                    |   |             |
| Screen shape *                               | Flat                 |   |             |
| Contrast ratio (typical) *                   | 1000:1               |   |             |
| Contrast ratio (dynamic)                     | 50000000:1           |   |             |
| Maximum refresh rate *                       | 75 Hz                |   |             |
| Display number of colours *                  | 1.07 billion colours |   |             |
| Digital horizontal frequency                 | 15 - 150 kHz         |   |             |
| Digital vertical frequency                   | 24 - 75 Hz           |   |             |
|  |                      |   |             |
| Multimedia                                   |                      | Power   |             |
| Number of speakers                           | 2                    | Energy efficiency class (SDR) *                             | F           |
| RMS rated power                              | 2 W                  | Energy consumption (SDR) per 1000 hours *                   | 26 kWh      |
| Built-in speaker(s) *                        | ✓                    | Power consumption (typical) *                               | 30.7 W      |
|  |                      | Power consumption (standby) *                               | 0.5 W       |
|  |                      | Power consumption (max)                                     | 70 W        |
|  |                      | AC input voltage  | 100 - 240 V |
|  |                      | AC input frequency  | 50 - 60 Hz  |
|  |                      | Energy efficiency scale                                     | A to G      |
|  |                      | European Product Registry for Energy Labelling (EPREL) code | 1255097     |
|  |                      |   |             |
| Design                                       |                      | Operational conditions                                      |             |
| Market positioning *                         | Business             | Operating temperature (T-T)                                 | 0 - 40 °C   |
| Product colour *                             | Black                | Operating relative humidity (H-H)                           | 20 - 90%    |
|  |                      |   |             |
| Ports & interfaces                           |                      | Weight & dimensions   |             |
| Number of upstream ports                     | 2                    | Width (with stand)  | 613 mm      |
| Number of USB Type-B upstream ports quantity | 1                    | Depth (with stand)  | 202 mm      |
|  |                      | Height (with stand)   | 406 mm      |
|  |                      | Weight (with stand)   | 7.5 kg      |
|  |                      | Width (without stand)                                       | 613 mm      |
|  |                      | Depth (without stand)                                       | 52 mm       |
|  |                      | Height (without stand)                                      | 363 mm      |

| Ports & interfaces       |              | Weight & dimensions      |                |
|--------------------------|--------------|--------------------------|----------------|
| HDMI *                   | ✓            | Weight (without stand)   | 5.1 kg         |
| HDMI ports quantity      | 2            | <b>Packaging data</b>    |                |
| HDMI version             | 2.0          | Package width            | 692 mm         |
| DisplayPorts quantity    | 1            | Package depth            | 430 mm         |
| <b>Ergonomics</b>        |              | Package height           | 218 mm         |
| VESA mounting *          | ✓            | Package weight           | 10.7 kg        |
| Panel mounting interface | 100 x 100 mm | <b>Packaging content</b> |                |
| Cable lock slot *        | ✓            | Cables included          | AC, USB Type-C |
| Cable lock slot type     | Kensington   | Quick start guide        | ✓              |
| Height adjustment *      | ✓            |                          |                |
| Adjustable height (max)  | 13 cm        |                          |                |
| Pivot                    | ✓            |                          |                |



0766907008555



766907008555

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.