
W7 OM5 4S P

12NC 859991537000

GTIN (EAN) code: 8003437834349







- **6TH Sense technology**
- Up to 40 6th SENSE Cooking Combinations
- Pyrolytic cleaning system
- Energy class A+
- Cavity 73 L
- Cook4
- Ready2Cook
- **Defrost function**
- Forced Air Fan Cooking
- Grill
- Easy Clean Enamel Interior
- Turbo grill function
- Maxi cooking
- Pastry function
- Pizza/Bread function
- Eco Forced Air
- Warm Keeping

Whirlpool built in electric oven: inox color, self cleaning - W7 OM5 4S P

This Whirlpool built in Oven features: self cleaning technology, that uses a high-temperature cycle to burn food residues into ashes, which can then be easily wiped away with a sponge. Advanced electric technology allowing you to cook dishes saving energy. Halogen lamp allowing a more energy-efficient performance. Exclusive 6th SENSE technology, that allows you to pick among a variety of preprogrammed recipes, and your oven will automatically adjust cooking, temperature and time settings, to ensure perfect results. Oven door with soft-close design, for increased ease of use.



6th Sense W6 W7

No more guesswork. Simply pick your recipes, and let 6th SENSE cook them to perfection, every time. Up to 40 cooking combinations organized to fit your lifestyle and diet, for a full assisted cooking experience.



Ready2cook

No pre-heating required. The Ready2Cook function uses a powerful convection system to quickly reach the right temperature, and completely eliminate the need for pre-heating.



Cook4

The Cook4 function provides a unique level of flexibility that enables consumers to cook up to four dishes at the same time without mixing any of the flavours or aromas.



Soft closing

Slow-motion closing. Thanks to slow-closing hinges, the oven door shuts effortlessly, with a soft and silent motion.



Electronic control

Electronic temperature control.



AssistedDisplay

Just by selecting a food type, the oven sets the right programme and time to ensure perfectly cooked meals and dishes every time. Intuitive access to every function to make cooking easy and convenient.



Pyrolitic technology

Spotless cleaning at the touch of a button. Pyrolytic technology uses a high-temperature cycle to burn food residues into ashes, which can then be easily wiped away with a sponge. Heat-reflecting glass panels in the oven door ensure that the external temperature stays low, for added safety.

W7 OM5 4S P

12NC: 859991537000

GTIN (EAN) code: 8003437834349



SENSING THE DIFFERENCE

Product group Oven Commercial code W7 OMS 4S P Main colour of product Inox Construction type Built-in Type of control Electronic Type of control settings - Are any hobs controls integrated? No Which kind of hobs can be controlled? Yes Automatic programmes Yes Current (A) 16 Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 90 Plug type No Depth with open door 90 degree (mm) - Width of the product 595 Width of the product 595 Width of the product 564 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 40.5 Usable volume (of cavity) 73 Integrated Cleaning system Pyrolytic Grids of the cavity 2 Trays 1 <th colspan="3">MAIN FEATURES</th>	MAIN FEATURES		
Main colour of product Inox Construction type Built-in Type of control Electronic Type of control settings - Are any hobs controls integrated? No Which kind of hobs can be controlled? - Automatic programmes Yes Current (A) 16 Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 90 Plug type No Depth with open door 90 degree (mm) - Height of the product 595 Width of the product 595 Width of the product 564 Minimum niche height 0 Minimum niche width 0 Note depth 0 Net weight (kg) 40.5 Usable volume (of cavity) 73 Integrated Cleaning system Pyrolytic Grids of the cavity 2	Product group	Oven	
Construction typeBuilt-inType of controlElectronicType of control settings-Are any hobs controls integrated?NoWhich kind of hobs can be controlled?-Automatic programmesYesCurrent (A)16Voltage (V)220-240Frequency (Hz)50/60Length of Electrical Supply Cord (cm)90Plug typeNoDepth with open door 90 degree (mm)-Height of the product595Width of the product595Depth of the product height0Minimum niche height0Minimum click width0Nicke depth0Net weight (kg)40.5Usable volume (of cavity)73Integrated Cleaning systemPyrolyticGrids of the cavity2	Commercial code	W7 OM5 4S P	
Type of controlElectronicType of control settings-Are any hobs controls integrated?NoWhich kind of hobs can be controlled?-Automatic programmesYesCurrent (A)16Voltage (V)220-240Frequency (Hz)50/60Length of Electrical Supply Cord (cm)90Plug typeNoDepth with open door 90 degree (mm)-Height of the product595Width of the product595Depth of the product564Minimum niche height0Niche depth0Niche depth0Niche depth0Usable volume (of cavity)73Integrated Cleaning systemPyrolyticGrids of the cavity2	Main colour of product	Inox	
Type of control settings - Are any hobs controls integrated? No Which kind of hobs can be controlled? - Automatic programmes Yes Current (A) 16 Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 90 Plug type No Depth with open door 90 degree (mm) - Height of the product 595 Width of the product 595 Depth of the product 564 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 40.5 Usable volume (of cavity) 73 Integrated Cleaning system Pyrolytic Grids of the cavity 2	Construction type	Built-in	
Are any hobs controls integrated? Which kind of hobs can be controlled? Automatic programmes Current (A) Voltage (V) Frequency (Hz) Length of Electrical Supply Cord (cm) Plug type No Depth with open door 90 degree (mm) Height of the product Sp5 Width of the product Sp5 Winimum niche height No No No No No No Sp5 Width of the product Sp5 Width of t	Type of control	Electronic	
Which kind of hobs can be controlled? - Automatic programmes Yes Current (A) 16 Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 90 Plug type No Depth with open door 90 degree (mm) - Height of the product 595 Width of the product 564 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 40.5 Usable volume (of cavity) 73 Integrated Cleaning system Pyrolytic Grids of the cavity 2	Type of control settings	-	
Automatic programmes Yes Current (A) 16 Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 90 Plug type No Depth with open door 90 degree (mm) - Height of the product 595 Width of the product 595 Depth of the product 564 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 40.5 Usable volume (of cavity) 73 Integrated Cleaning system Pyrolytic Grids of the cavity 2	Are any hobs controls integrated?	No	
Current (A) 16 Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 90 Plug type No Depth with open door 90 degree (mm) - Height of the product 595 Width of the product 595 Depth of the product 564 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 40.5 Usable volume (of cavity) 73 Integrated Cleaning system Pyrolytic Grids of the cavity 2	Which kind of hobs can be controlled?	-	
Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 90 Plug type No Depth with open door 90 degree (mm) - Height of the product 595 Width of the product 595 Depth of the product 564 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 40.5 Usable volume (of cavity) 73 Integrated Cleaning system Pyrolytic Grids of the cavity 2	Automatic programmes	Yes	
Frequency (Hz)50/60Length of Electrical Supply Cord (cm)90Plug typeNoDepth with open door 90 degree (mm)-Height of the product595Width of the product595Depth of the product564Minimum niche height0Minimum niche width0Niche depth0Net weight (kg)40.5Usable volume (of cavity)73Integrated Cleaning systemPyrolyticGrids of the cavity2	Current (A)	16	
Length of Electrical Supply Cord (cm)90Plug typeNoDepth with open door 90 degree (mm)-Height of the product595Width of the product595Depth of the product564Minimum niche height0Minimum niche width0Niche depth0Net weight (kg)40.5Usable volume (of cavity)73Integrated Cleaning systemPyrolyticGrids of the cavity2	Voltage (V)	220-240	
Plug typeNoDepth with open door 90 degree (mm)-Height of the product595Width of the product595Depth of the product564Minimum niche height0Minimum niche width0Niche depth0Net weight (kg)40.5Usable volume (of cavity)73Integrated Cleaning systemPyrolyticGrids of the cavity2	Frequency (Hz)	50/60	
Depth with open door 90 degree (mm) Height of the product Width of the product Depth of the product Septimary of the product Minimum niche height Minimum niche width Niche depth Net weight (kg) Usable volume (of cavity) Integrated Cleaning system Grids of the cavity	Length of Electrical Supply Cord (cm)	90	
Height of the product 595 Width of the product 595 Depth of the product 564 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 40.5 Usable volume (of cavity) 73 Integrated Cleaning system Pyrolytic Grids of the cavity 2	Plug type	No	
Width of the product 595 Depth of the product 564 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 40.5 Usable volume (of cavity) 73 Integrated Cleaning system Pyrolytic Grids of the cavity 2	Depth with open door 90 degree (mm)	-	
Depth of the product564Minimum niche height0Minimum niche width0Niche depth0Net weight (kg)40.5Usable volume (of cavity)73Integrated Cleaning systemPyrolyticGrids of the cavity2	Height of the product	595	
Minimum niche height Minimum niche width O Niche depth Net weight (kg) Usable volume (of cavity) Integrated Cleaning system Grids of the cavity O O O O O O O O O O O O O	Width of the product	595	
Minimum niche width 0 Niche depth 0 Net weight (kg) 40.5 Usable volume (of cavity) 73 Integrated Cleaning system Pyrolytic Grids of the cavity 2	Depth of the product	564	
Niche depth 0 Net weight (kg) 40.5 Usable volume (of cavity) 73 Integrated Cleaning system Pyrolytic Grids of the cavity 2	Minimum niche height	0	
Net weight (kg) 40.5 Usable volume (of cavity) 73 Integrated Cleaning system Pyrolytic Grids of the cavity 2	Minimum niche width	0	
Usable volume (of cavity) 73 Integrated Cleaning system Pyrolytic Grids of the cavity 2	Niche depth	0	
Integrated Cleaning system Pyrolytic Grids of the cavity 2	Net weight (kg)	40.5	
Grids of the cavity 2	Usable volume (of cavity)	73	
·	Integrated Cleaning system	Pyrolytic	
Trays 2	Grids of the cavity	2	
	Trays	2	

TECHNICAL FEATURES	
Timer	-
Time control	Electronic
Time-setting options	Start and Stop
Safety device	-
Interior light	Yes
Number of interior lights of the cavity	1
Position of interior lights of the cavity	Rear
Oven guides of the cavity	Grids
Probe of the cavity	No

PERFORMANCES		
Energy input	Electric	
Type of energy of the cavity	Electricity	
Energy efficiency class - NEW (2010/30/EU)	A+	
Energy consumption per cycle conventional - NEW (2010/30/EU)	0.91	
Energy consumption per cycle forced air convection - NEW (2010/30/EU)	0.7	

