iiyama

iiyama ProLite XUB2491H-B1 Monitor PC 60,5 cm (23.8") 1920 x 1080 Pixel Full HD LED Nero

Marchio : iiyama

Famiglia del prodotto: ProLite

Codice prodotto: XUB2491H-B1

Nome del prodotto :
XUB2491H-B1

23.8", IPS, LED, 1920 x 1080, 300 cd/m², 30 - 150kHz, 539.5 x 343 (493) x 209.5mm, 5.1kg
iiyama ProLite XUB2491H-B1. Dimensioni diagonale schermo: 60,5 cm (23.8"), Risoluzione del display: 1920 x 1080 Pixel, Tipologia HD: Full HD, Tecnologia display: LED, Superficie display: Opaco, Tempo di risposta: 0,5 ms, Rapporto d'aspetto nativo: 16:9, Angolo di visualizzazione (orizzontale): 178°, Angolo di visualizzazione (verticale): 178°. Montaggio standard VESA, Regolazione altezza. Colore del prodotto: Nero

Display

Display diagonal *	60.5 cm (23.8")
Display resolution *	1920 x 1080 pixels
HD type *	Full HD
Native aspect ratio *	16:9
Display technology *	LED
Panel type *	IPS
Touchscreen *	✗
Display brightness (typical)	300 cd/m²
Response time *	0.5 ms
Response time (MPRT)	0.5 ms
Display surface	Matt
Screen shape *	Flat
Contrast ratio (typical) *	1300:1
Contrast ratio (dynamic)	80000000:1
Maximum refresh rate *	100 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	16.7 million colours
Pixel pitch	0.275 x 0.275 mm
Horizontal scan range	30 - 150 kHz
Viewable size, horizontal	52.7 cm
Viewable size, vertical	29.6 cm
DDC/CI	✔
Colour gamut standard	NTSC, sRGB
sRGB coverage (typical)	96%
NTSC coverage (typical)	72%

Performance

VESA Adaptive Sync support	✔
Flicker-free technology	✔

Ergonomics

VESA mounting *	✔
Panel mounting interface	100 x 100 mm
Cable management	✔
Cable lock slot *	✔
Cable lock slot type	Kensington
Height adjustment *	✔
Adjustable height (max)	15 cm
Pivot	✔
Pivot angle	0 - 90°
Swivelling	✔
Swivel angle range	60 - 120°
Tilt adjustment	✔
Tilt angle range	5 - 23°
On Screen Display (OSD)	✔
On Screen Display (OSD) languages	Czech, German, Dutch, English, French, Italian, Japanese, Polish, Russian

Power

Energy efficiency class (SDR) *	E
Energy efficiency class (HDR) *	Not available
Energy consumption (SDR) per 1000 hours *	16 kWh
Power consumption (typical) *	16 W
Power consumption (standby) *	0.5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Energy efficiency scale	A to G

Performance

Low Blue Light technology	✔

Multimedia

Built-in speaker(s) *	✘
Built-in camera *	✘

Design

Market positioning *	Business
Product colour *	Black

Ports & interfaces

Built-in USB hub *	✘
HDMI *	✔
HDMI ports quantity	1
DisplayPorts quantity	1
Headphone out *	✔
HDCP	✔

Weight & dimensions

Width (with stand)	539.5 mm
Depth (with stand)	209.5 mm
Height (with stand)	493 mm
Weight (with stand)	5.1 kg
Width (without stand)	539.5 mm
Depth (without stand)	209.5 mm
Height (without stand)	343 mm

Packaging data

Package width	640 mm
Package depth	145 mm
Package height	390 mm
Package weight	6.4 kg
Package type	Box

4948570124763